

CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

CPU List

Below is an alphabetical list of all CPU types that appear in the charts. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you. Results for [Single CPU Systems](#) and [Multiple CPU Systems](#) are listed separately.

 Find CPU

Home **CPUS**

High End

High Mid Range

Low Mid Range

Low End

Best Value (On Market)

Best Value XY Scatter

Best Value (All time)

New Desktop

New Laptop

Single Thread

Systems with Multiple CPUs

Overclocked

Power Performance

CPU Mark by Socket Type

CPU Mega List

Search Model

Compare ⁰

Common

Most Benchmarked

Single CPU Systems

Multi CPU Systems

Single CPU Systems

Column

CPU Name	CPU Mark (higher is better)
Intel Celeron B710 @ 1.60GHz	106
AMD G-T40R	107
Intel Atom E3815 @ 1.46GHz >> Compare	114
Intel Pentium 4 1300MHz	119
VIA Eden 1000MHz	124
Intel Pentium 4 1500MHz	125
Intel Pentium 4 1400MHz	128
Intel Pentium 4 1.60GHz	130
Intel Pentium 4 1.50GHz	132
Intel Pentium 4 1.70GHz	133
VIA Eden 1200MHz	142
VIA Esther 1000MHz	147
Intel Celeron 1.80GHz	148
Intel Pentium III Mobile 866MHz	152
Intel Pentium 4 1700MHz	154
Intel Celeron 1.70GHz	155
VIA Nehemiah	155

CPU Name	CPU Mark (higher is better)
<u>VIA Nano L2201@1600MHz</u>	100
<u>Intel Pentium 4 3.83GHz</u>	162
<u>VIA Nano U3500@1000MHz</u>	172
<u>VIA C7-M 1200MHz</u>	173
<u>Intel Celeron 1100MHz</u>	174
<u>VIA Nano U2250@1300+MHz</u>	174
<u>Intel Celeron 2.13GHz</u>	175
<u>Intel Pentium 4 1800MHz</u>	175
<u>Intel Pentium 4 1.80GHz</u>	176
<u>Intel Pentium 4 Mobile 1.80GHz</u>	176
<u>VIA C7-M 1600MHz</u>	178
<u>Intel Pentium 4 Mobile 1.60GHz</u>	179
<u>Mobile Intel Celeron 1.70GHz</u>	181
<u>AMD V105</u>	182
<u>Intel Celeron 2.66GHz</u>	183
<u>Intel Pentium III Mobile 800MHz</u>	183
<u>Mobile Intel Pentium 4 - M 1.80GHz</u>	184
<u>Mobile Intel Celeron 1.80GHz</u>	186
<u>Mobile Intel Pentium 4 - M 1.70GHz</u>	186
<u>Intel Celeron M 900MHz</u>	189
<u>Intel Celeron 2.00GHz</u>	192
<u>Intel Celeron 2.26GHz</u>	192
<u>VIA Nano U2500@1200MHz</u>	193
<u>Mobile Intel Pentium III - M 933MHz</u>	200
<u>Intel Celeron 2.80GHz</u>	201
<u>Intel Pentium 4 2.40GHz</u>	202
<u>Intel Pentium 4 Mobile 2.00GHz</u>	203
<u>Mobile Intel Celeron 2.00GHz</u>	204
<u>Intel Pentium 4 2.00GHz</u>	205
<u>VIA Esther 1500MHz</u>	208
<u>AMD GX-210JA SOC</u>	209
<u>Intel Pentium 4 Mobile 1.90GHz</u>	210
<u>Intel Celeron 807UE @ 1.00GHz</u>	211
<u>Mobile Intel Pentium 4 - M 2.00GHz</u>	212
<u>Intel Celeron 2.20GHz</u>	213
<u>Intel Celeron 1000MHz</u>	214

CPU Name	CPU Mark (higher is better)
<u>Intel Celeron 1.23 @ 1.20GHz</u>	210
<u>Intel Pentium M 900MHz</u>	217
<u>Intel Celeron 2.40GHz</u>	219
<u>Intel Celeron 2.60GHz</u>	220
<u>Mobile Intel Pentium 4 - M 2.20GHz</u>	220
<u>VIA C7-M 6300MHz</u>	223
<u>Mobile Intel Pentium III - M 1200MHz</u>	224
<u>Mobile Intel Celeron 2.20GHz</u>	226
<u>Intel Celeron 2.30GHz</u>	227
<u>Intel Celeron M 1.00GHz</u>	229
<u>Intel Celeron M 410 @ 1.46GHz</u>	229
<u>Intel Pentium 4 2.93GHz</u>	231
<u>VIA C7-D 1800MHz</u>	231
<u>Intel Pentium 4 2.26GHz</u>	232
<u>Intel Xeon 2.00GHz</u>	234
<u>AMD G-T40E</u>	235
<u>AMD Z-60 APU</u>	235
<u>Mobile Intel Celeron 2.40GHz</u>	236
<u>AMD Athlon 64 2000+</u>	238
<u>Intel Pentium M 1200MHz</u>	238
<u>Intel Pentium M 1000MHz</u>	239
<u>Intel Atom Z520 @ 1.33GHz</u>	240
<u>Intel Pentium III Mobile 1200MHz</u>	240
<u>Intel Pentium 4 2.20GHz</u>	242
<u>Intel Pentium 4 2.66GHz</u>	242
<u>Intel Pentium SU2700 @ 1.30GHz</u>	242
<u>Intel Celeron 2.93GHz</u>	243
<u>AMD G-T44R</u>	244
<u>Intel Atom Z670 @ 1.50GHz</u>	244
<u>Intel Celeron 1200MHz</u>	244
<u>Intel Celeron 2.53GHz</u>	245
<u>Intel Celeron 2.70GHz</u>	245
<u>Intel Celeron 3.06GHz</u>	245
<u>Intel Pentium 4 2.50GHz</u>	246
<u>Intel Pentium III Mobile 1066MHz</u>	246
<u>VIA Nano L2007@1600MHz</u>	247

CPU Name	CPU Mark (higher is better)
<u>Intel Pentium 4 2.53GHz</u>	250
<u>Intel Celeron 2.50GHz</u>	252
<u>Intel Pentium III Mobile 1133MHz</u>	252
<u>Mobile AMD Sempron 2100+</u>	252
<u>Intel XEON 2.20GHz</u>	253
<u>Intel Celeron M 443 @ 1.20GHz</u>	254
<u>Intel Pentium 4 2.80GHz</u>	255
<u>AMD Athlon XP 1500+</u>	257
<u>Intel Celeron M 420 @ 1.60GHz</u>	258
<u>Intel Celeron M 723 @ 1.20GHz</u>	260
<u>Mobile AMD Athlon XP-M 1600+</u>	260
<u>Intel Atom N435 @ 1.33GHz</u>	261
<u>AMD C-60</u>	262
<u>Intel Core Solo U1300 @ 1.06GHz</u>	262
<u>Intel Core Solo U1400 @ 1.20GHz</u>	263
<u>VIA Eden C1050@1.06GHz</u>	263
<u>VIA Nano U2250 (1.6GHz Capable)</u>	263
<u>AMD Sempron 2500+</u>	265
<u>Mobile AMD Athlon MP-M 1800+</u>	265
<u>AMD Athlon XP 1600+</u>	268
<u>Intel Atom N270 @ 1.60GHz</u>	269
<u>Intel Core2 Solo U3500 @ 1.40GHz</u>	269
<u>AMD Athlon XP 1700+</u>	271
<u>VIA Nano L2100@1800MHz</u>	271
<u>Intel Celeron D 347 @ 3.06GHz</u>	273
<u>Intel Celeron M 520 @ 1.60GHz</u>	275
<u>AMD Z-01</u>	276
<u>Intel Celeron 3.33GHz</u>	276
<u>Intel Xeon 2.40GHz</u>	276
<u>Intel Atom N455 @ 1.66GHz</u>	277
<u>Intel Atom D410 @ 1.66GHz</u>	278
<u>Intel Atom N280 @ 1.66GHz</u>	278
<u>Intel Celeron 3.20GHz</u>	280
<u>Mobile Intel Pentium 4 2.66GHz</u>	280
<u>AMD Athlon XP1600+</u>	281
<u>AMD C-70 APU</u>	281

CPU Name	CPU Mark (higher is better)
<u>Intel Pentium 4 3.00GHz</u>	281
<u>Mobile Intel Celeron 1333MHz</u>	281
<u>AMD Sempron 2200+</u>	283
<u>Intel Pentium M 1.10GHz</u>	283
<u>Intel Pentium 4 3.20GHz</u>	288
<u>Intel Pentium 4 3.06GHz</u>	289
<u>Intel Pentium M 1500MHz</u>	289
<u>AMD C-60 APU</u>	290
<u>Intel Pentium 4 2.60GHz</u>	291
<u>AMD Athlon 1500+</u>	294
<u>AMD Athlon II Neo K145</u>	295
<u>Intel Celeron D 356 @ 3.33GHz</u>	295
<u>Mobile AMD Athlon MP-M 2400+</u>	295
<u>Intel Pentium M 1600MHz</u>	296
<u>Intel Pentium III 1400 @ 1400MHz</u>	297
<u>Mobile AMD Athlon XP-M 1800+</u>	297
<u>AMD Athlon II Neo K125</u>	298
<u>Intel Pentium III 1400S @ 1400MHz</u>	299
<u>AMD Athlon XP 1800+</u>	300
<u>AMD Athlon XP 2000+</u>	300
<u>Mobile AMD Athlon XP-M 2000+</u>	301
<u>Intel Pentium M 1.30GHz</u>	302
<u>AMD Athlon L110</u>	303
<u>Intel Atom N450 @ 1.66GHz</u>	303
<u>Intel Celeron M 1300MHz</u>	304
<u>Intel Pentium M 1300MHz</u>	304
<u>Intel Atom N475 @ 1.83GHz</u>	307
<u>Intel Pentium M 1.20GHz</u>	307
<u>Intel Pentium 4 3.40GHz</u>	308
<u>AMD G-T52R</u>	309
<u>AMD C-30</u>	310
<u>Intel Atom N2100 @ 1.60GHz</u>	310
<u>AMD Athlon XP 1900+</u>	313
<u>AMD Sempron 2400+</u>	315
<u>Mobile Intel Pentium 4 2.80GHz</u>	315
<u>Intel Celeron M 1.30GHz</u>	316

CPU Name	CPU Mark (higher is better)
<u>AMD Sempron M100</u>	316
<u>Intel Pentium M 1400MHz</u>	320
<u>Intel Celeron 220 @ 1.20GHz</u>	321
<u>AMD Athlon XP 2100+</u>	323
<u>Intel Atom E3826 @ 1.46GHz</u>	323
<u>Intel Celeron 215 @ 1.33GHz</u>	323
<u>Intel Atom 230 @ 1.60GHz</u>	324
<u>AMD V120</u>	325
<u>AMD E-240</u>	327
<u>Intel Celeron N2805 @ 1.46GHz</u>	328
<u>AMD Athlon XP 2200+</u>	329
<u>Intel Core Solo U1500 @ 1.33GHz</u>	331
<u>Intel Xeon 2.80GHz</u>	331
<u>Intel Celeron M 1.50GHz</u>	332
<u>Intel Celeron D 352 @ 3.20GHz</u>	333
<u>Intel Celeron M 1500MHz</u>	333
<u>AMD Sempron M120</u>	334
<u>Intel Pentium 4 3.60GHz</u>	335
<u>AMD Athlon II 160u</u>	337
<u>Mobile Intel Pentium 4 3.06GHz</u>	338
<u>Intel Celeron M 360 1.40GHz</u>	340
<u>AMD A4-1200 APU</u>	341
<u>Intel Celeron M 430 @ 1.73GHz</u>	342
<u>Intel Core Duo U2500 @ 1.20GHz</u>	343
<u>VIA Eden X2 U4200 @ 1.0+ GHz</u>	343
<u>Intel Celeron M 1.60GHz</u>	344
<u>AMD E1-1200 APU</u>	345
<u>Intel Pentium M 1.40GHz</u>	346
<u>Mobile AMD Athlon XP-M 2400+</u>	346
<u>AMD V160</u>	347
<u>Mobile AMD Athlon XP-M 2500+</u>	347
<u>Intel Pentium M 1.60GHz</u>	353
<u>Mobile AMD Sempron 3200+</u>	355
<u>AMD A4-1250 APU</u>	356
<u>AMD Athlon XP 2500+</u>	356
<u>AMD Sempron 3500+</u>	357

CPU Name	CPU Mark (higher is better)
<u>AMD Athlon II 1700</u>	358
<u>AMD Sempron 2800+</u>	358
<u>Intel Core2 Solo U2100 @ 1.06GHz</u>	359
<u>Mobile AMD Athlon 4 2400+</u>	359
<u>AMD Athlon XP 2400+</u>	361
<u>Intel Core Solo T1350 @ 1.86GHz</u>	361
<u>Mobile AMD Sempron 2800+</u>	364
<u>Mobile Intel Pentium 4 3.33GHz</u>	364
<u>Intel Pentium M 1700MHz</u>	365
<u>Intel Pentium M 2.26GHz</u>	365
<u>Mobile AMD Athlon XP-M 2200+</u>	365
<u>Mobile AMD Athlon XP-M 2800+</u>	365
<u>AMD E-300 APU</u>	366
<u>Mobile AMD Athlon XP-M 3000+</u>	366
<u>Intel Pentium M 1.70GHz</u>	368
<u>AMD E1-2100 APU</u>	369
<u>AMD V140</u>	369
<u>Intel Pentium M 1.50GHz</u>	369
<u>Mobile AMD Athlon 2500+</u>	370
<u>Mobile AMD Athlon XP-M 2600+</u>	371
<u>AMD Athlon XP 2600+</u>	373
<u>Intel Celeron 827E @ 1.40GHz</u>	373
<u>AMD Athlon 64 2600+</u>	374
<u>AMD Athlon XP2400+</u>	374
<u>Intel Core2 Duo U7700 @ 1.33GHz</u>	375
<u>AMD Athlon 64 2800+</u>	376
<u>AMD E-350 APU</u>	376
<u>AMD Turion 64 Mobile MT-30</u>	379
<u>Intel Atom D425 @ 1.80GHz</u>	380
<u>Intel Atom N470 @ 1.83GHz</u>	383
<u>VIA Nano X2 U4025 @ 1.2 GHz</u>	383
<u>Intel Celeron M 440 @ 1.86GHz</u>	385
<u>AMD E2-1800 APU</u>	386
<u>Intel Celeron M 1.70GHz</u>	388
<u>AMD Sempron 2600+</u>	389
<u>AMD E1-1500 APU</u>	390

CPU Name	CPU Mark (higher is better)
<u>AMD E-350D APU</u>	391
<u>AMD Turion 64 Mobile ML-28</u>	391
<u>AMD Athlon XP 2700+</u>	394
<u>Intel Celeron 900 @ 2.20GHz</u>	394
<u>Mobile AMD Sempron 2600+</u>	394
<u>AMD G-T56E</u>	396
<u>Intel Pentium M 1.73GHz</u>	396
<u>Intel Xeon 3.40GHz</u>	396
<u>AMD G-T48E</u>	397
<u>Intel Core2 Duo U7500 @ 1.06GHz</u>	398
<u>AMD E1-2200 APU</u>	400
<u>AMD Geode NX 2400+</u>	400
<u>AMD Athlon XP 2800+</u>	401
<u>Intel Core2 Duo U7600 @ 1.20GHz</u>	402
<u>Intel Pentium 4 3.73GHz</u>	402
<u>AMD Athlon XP 3000+</u>	403
<u>Intel Core i7-2630UM @ 1.60GHz</u>	403
<u>Intel Celeron 847 @ 1.10GHz</u>	406
<u>AMD Sempron LE-1150</u>	407
<u>Intel Pentium E2140 @ 1.60GHz</u>	407
<u>AMD Sempron 210U</u>	411
<u>AMD Athlon TF-20</u>	412
<u>AMD Sempron 3000+</u>	412
<u>AMD Athlon II Neo K325 Dual-Core</u>	413
<u>AMD Athlon II Neo N36L Dual-Core</u>	414
<u>Mobile AMD Sempron 3000+</u>	414
<u>AMD G-T56N</u>	416
<u>Intel Pentium M 2.00GHz</u>	416
<u>Intel Pentium M 2.13GHz</u>	416
<u>Intel Atom E3825 @ 1.33GHz</u>	418
<u>Intel Xeon 3.60GHz</u>	421
<u>AMD Athlon 2650e</u>	422
<u>AMD Athlon XP 2900+</u>	424
<u>AMD E2-2000 APU</u>	424
<u>AMD Turion 64 Mobile ML-34</u>	425
<u>AMD Turion 64 Mobile ML-30</u>	426

CPU Name	CPU Mark (higher is better)
<u>Intel Pentium U9400 @ 1.20GHz</u>	421
<u>Intel Celeron G440 @ 1.60GHz</u>	428
<u>AMD Turion 64 Mobile MT-34</u>	429
<u>Intel Celeron 807 @ 1.50GHz</u>	429
<u>Intel Pentium M 1.80GHz</u>	432
<u>AMD Athlon XP 3200+</u>	433
<u>AMD Sempron 140</u>	433
<u>Intel Pentium 4 3.80GHz</u>	433
<u>AMD Athlon XP 3100+</u>	434
<u>Intel 2.80GHz</u>	434
<u>AMD Sempron 145</u>	437
<u>Intel Pentium M 1.86GHz</u>	437
<u>Mobile AMD Sempron 3600+</u>	437
<u>AMD E-450 APU</u>	438
<u>AMD Turion 64 Mobile ML-32</u>	438
<u>Intel Celeron 925 @ 2.30GHz</u>	439
<u>AMD Athlon Neo MV-40</u>	440
<u>AMD Turion 64 Mobile MT-32</u>	440
<u>Intel Atom D2500 @ 1.86GHz</u>	441
<u>Intel Celeron 530 @ 1.73GHz</u>	442
<u>AMD Sempron 3200+</u>	443
<u>AMD Sempron SI-40</u>	444
<u>Intel Celeron N2810 @ 2.00GHz</u>	444
<u>Intel Celeron SU2300 @ 1.20GHz</u>	445
<u>Intel Celeron D 360 @ 3.46GHz</u>	446
<u>Intel Pentium D 805 @ 2.66GHz</u>	447
<u>AMD Athlon 2800+</u>	448
<u>Intel Pentium M 2.10GHz</u>	449
<u>AMD Sempron 3400+</u>	450
<u>Intel Celeron 420 @ 1.60GHz</u>	451
<u>Mobile AMD Sempron 3300+</u>	452
<u>Intel Pentium 4 3.46GHz</u>	455
<u>AMD Sempron 3100+</u>	458
<u>Mobile AMD Sempron 3500+</u>	458
<u>Intel Celeron U3400 @ 1.07GHz</u>	459
<u>AMD Sempron SI-42</u>	461

CPU Name	CPU Mark (higher is better)
<u>Mobile AMD Sempron 3400+</u>	400
<u>AMD C-50</u>	467
<u>Intel Celeron 430 @ 1.80GHz</u>	467
<u>Intel Core Solo T1400 @ 1.83GHz</u>	471
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	471
<u>AMD Athlon 64 3000+</u>	473
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	473
<u>Intel Core2 Duo T5270 @ 1.40GHz</u>	475
<u>AMD Athlon 64 3300+</u>	477
<u>Mobile AMD Athlon 64 4000+</u>	481
<u>Intel Celeron D 420 @ 1.60GHz</u>	482
<u>AMD Turion 64 Mobile MK-36</u>	483
<u>Intel Core2 Duo U7300 @ 1.30GHz</u>	483
<u>AMD Athlon 64 3100+</u>	484
<u>AMD Sempron 3300+</u>	484
<u>AMD E-350</u>	485
<u>AMD Turion 64 Mobile MT-37</u>	485
<u>AMD Opteron 144</u>	486
<u>AMD Sempron LE-1100</u>	486
<u>Mobile AMD Sempron 3800+</u>	486
<u>Intel Celeron N2808 @ 1.58GHz</u>	487
<u>Intel Pentium SU4100 @ 1.30GHz</u>	487
<u>AMD E1-6015 APU</u>	488
<u>AMD Turion 64 Mobile ML-37</u>	489
<u>AMD Athlon 64 4000+</u>	494
<u>AMD Sempron 150</u>	494
<u>Intel Core2 Duo L7300 @ 1.40GHz</u>	494
<u>Intel Xeon 3.00GHz</u>	500
<u>Intel Xeon 3.80GHz</u>	500
<u>Mobile AMD Athlon 64 3200+</u>	501
<u>Intel Pentium D 915 @ 2.80GHz</u>	502
<u>Intel Pentium D 830 @ 3.00GHz</u>	503
<u>Intel Atom Z3736F @ 1.33GHz</u>	509
<u>AMD Athlon 64 3200+</u>	510
<u>Intel Celeron N2807 @ 1.58GHz</u>	510
<u>Intel Pentium T2330 @ 1.60GHz</u>	510

CPU Name	CPU Mark (higher is better)
<u>Mobile AMD Athlon 64 3400+</u>	512
<u>Intel Core Duo U2400 @ 1.06GHz</u>	514
<u>Intel Pentium T2310 @ 1.46GHz</u>	515
<u>AMD Sempron 130</u>	517
<u>Intel T1400 @ 1.73GHz</u>	517
<u>AMD Turion 64 Mobile MK-38</u>	520
<u>Intel Celeron M 530 @ 1.73GHz</u>	520
<u>AMD Athlon TF-36</u>	521
<u>AMD Turion 64 Mobile ML-40</u>	522
<u>AMD Athlon II Neo K345 Dual-Core</u>	523
<u>Intel Core2 Duo L7100 @ 1.20GHz</u>	525
<u>Intel Core2 Duo T5250 @ 1.50GHz</u>	525
<u>Intel Atom Z3735F @ 1.33GHz</u>	529
<u>Intel Celeron 570 @ 2.26GHz</u>	529
<u>Intel Celeron N2806 @ 1.60GHz</u>	529
<u>Intel Core2 Duo SU9400 @ 1.40GHz</u>	529
<u>Intel Atom Z3770D @ 1.49GHz</u>	530
<u>Intel Atom N2600 @ 1.60GHz</u>	531
<u>Intel Core2 Duo T5200 @ 1.60GHz</u>	531
<u>AMD Opteron 146</u>	532
<u>Intel Celeron 540 @ 1.86GHz</u>	535
<u>Intel Celeron E1200 @ 1.60GHz</u>	535
<u>Intel Celeron N2830 @ 2.16GHz</u>	537
<u>Intel Atom Z3735D @ 1.33GHz</u>	539
<u>Intel Celeron N2815 @ 1.86GHz</u>	539
<u>Intel Atom N550 @ 1.50GHz</u>	540
<u>Intel Atom Z3735G @ 1.33GHz</u>	540
<u>AMD Sempron LE-1250</u>	544
<u>Intel Pentium T2370 @ 1.73GHz</u>	545
<u>Intel Core2 Duo E6300 @ 1.86GHz</u>	547
<u>Intel Core2 Duo T5470 @ 1.60GHz</u>	548
<u>Mobile AMD Athlon 64 3700+</u>	548
<u>AMD Sempron LE-1200</u>	551
<u>Intel Celeron @ 1.30GHz</u>	551
<u>AMD Sempron 3800+</u>	554
<u>AMD E1-2500 APU</u>	555

CPU Name	CPU Mark (higher is better)
<u>AMD Sempron 4000 APU</u>	558
<u>AMD Sempron 3600+</u>	559
<u>Intel Atom E3827 @ 1.74GHz</u>	559
<u>AMD Turion II Neo K625 Dual-Core</u>	560
<u>Intel Celeron 560 @ 2.13GHz</u>	561
<u>AMD Athlon 64 3500+</u>	563
<u>Intel Xeon 3.20GHz</u>	563
<u>Intel Core2 Duo L7400 @ 1.50GHz</u>	566
<u>Intel Celeron 440 @ 2.00GHz</u>	567
<u>AMD Athlon II X2 250u</u>	568
<u>Intel Celeron 867 @ 1.30GHz</u>	569
<u>Intel Celeron 1019Y @ 1.00GHz</u>	570
<u>Intel Pentium U5600 @ 1.33GHz</u>	570
<u>Intel Atom 330 @ 1.60GHz</u>	571
<u>Intel Celeron N2820 @ 2.13GHz</u>	571
<u>Intel Atom N570 @ 1.66GHz</u>	573
<u>AMD Turion 64 X2 Mobile TL-50</u>	576
<u>Intel Atom Z2760 @ 1.80GHz</u>	576
<u>Intel Core2 Duo T5450 @ 1.66GHz</u>	576
<u>AMD Athlon 64 3400+</u>	577
<u>Intel Celeron U3600 @ 1.20GHz</u>	577
<u>Intel Celeron 550 @ 2.00GHz</u>	581
<u>Intel Celeron G465 @ 1.90GHz</u>	583
<u>Intel Atom Z3745D @ 1.33GHz</u>	584
<u>AMD Turion II Neo N40L Dual-Core</u>	585
<u>Intel Celeron N3050 @ 1.60GHz</u>	585
<u>Intel Celeron N3000 @ 1.04GHz</u>	588
<u>Intel Celeron N2840 @ 2.16GHz</u>	590
<u>Intel Pentium 967 @ 1.30GHz</u>	590
<u>AMD Turion 64 Mobile ML-44</u>	591
<u>AMD GX-217GA SOC</u>	597
<u>Intel Pentium T2390 @ 1.86GHz</u>	598
<u>Intel Core2 Duo T5500 @ 1.66GHz</u>	599
<u>AMD Athlon II X2 260u</u>	602
<u>AMD GX-212JC SOC</u>	604
<u>AMD Opteron 148</u>	604

CPU Name	CPU Mark (higher is better)
<u>Intel Celeron G460 @ 1.80GHz</u>	605
<u>AMD Athlon 64 3700+</u>	606
<u>Intel Celeron 847E @ 1.10GHz</u>	606
<u>AMD E1-6010 APU</u>	608
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	608
<u>AMD Athlon II Dual-Core M300</u>	612
<u>AMD E2-3000 APU</u>	613
<u>AMD E1 Micro-6200T APU</u>	615
<u>AMD Sempron LE-1300</u>	615
<u>AMD Turion 64 Mobile ML-42</u>	615
<u>Intel Pentium T3200 @ 2.00GHz</u>	616
<u>Celeron Dual-Core T3000 @ 1.80GHz</u>	617
<u>Intel Core2 Duo T5300 @ 1.73GHz</u>	617
<u>Intel Pentium T2410 @ 2.00GHz</u>	618
<u>Intel Atom Z3740 @ 1.33GHz</u>	619
<u>AMD Athlon 64 FX-55</u>	622
<u>Intel Core2 Duo T5550 @ 1.83GHz</u>	624
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	625
<u>Intel Pentium 957 @ 1.20GHz</u>	625
<u>Intel Celeron B830 @ 1.80GHz</u>	627
<u>Intel Core Duo T2050 @ 1.60GHz</u>	627
<u>Intel Pentium T2060 @ 1.60GHz</u>	627
<u>Intel Pentium T3400 @ 2.16GHz</u>	628
<u>Intel Celeron 857 @ 1.20GHz</u>	629
<u>Intel Celeron T1600 @ 1.66GHz</u>	629
<u>Intel Core2 Duo T5900 @ 2.20GHz</u>	629
<u>AMD Athlon II Dual-Core M320</u>	631
<u>Intel Pentium 2129Y @ 1.10GHz</u>	631
<u>Intel Core2 Duo L7500 @ 1.60GHz</u>	632
<u>AMD Athlon 1640B</u>	633
<u>Intel Atom N2800 @ 1.86GHz</u>	633
<u>AMD Athlon LE-1600</u>	634
<u>AMD Athlon 64 3800+</u>	635
<u>AMD Athlon II Dual-Core M340</u>	636
<u>Intel Core2 Duo E4400 @ 2.00GHz</u>	637
<u>Intel Core2 Duo T7100 @ 1.80GHz</u>	638

CPU Name	CPU Mark (higher is better)
<u>Intel Celeron E 1400 @ 2.00GHz</u>	640
<u>AMD Athlon LE-1660</u>	641
<u>Celeron Dual-Core T3300 @ 2.00GHz</u>	641
<u>Intel Core2 Duo T6600 @ 2.20GHz</u>	641
<u>Intel Core2 Duo T5600 @ 1.83GHz</u>	643
<u>Intel Atom Z3745 @ 1.33GHz</u>	645
<u>Intel Core i3-330UM @ 1.20GHz</u>	647
<u>AMD Athlon LE-1620</u>	648
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	651
<u>Intel Core2 Duo E4300 @ 1.80GHz</u>	652
<u>Intel T1500 @ 1.86GHz</u>	652
<u>Intel Core2 Duo U9600 @ 1.60GHz</u>	654
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	656
<u>Intel Core2 Duo SL9400 @ 1.86GHz</u>	657
<u>Intel Atom D510 @ 1.66GHz</u>	658
<u>AMD Opteron 152</u>	659
<u>AMD Athlon II N330 Dual-Core</u>	660
<u>AMD Athlon LE-1640</u>	661
<u>Intel Pentium T2080 @ 1.73GHz</u>	663
<u>Celeron Dual-Core T3100 @ 1.90GHz</u>	665
<u>Intel Atom Z3740D @ 1.33GHz</u>	666
<u>Intel Core2 Duo L7700 @ 1.80GHz</u>	666
<u>Intel Celeron 450 @ 2.20GHz</u>	667
<u>Intel Celeron J1800 @ 2.41GHz</u>	667
<u>AMD Athlon II X2 270u</u>	670
<u>AMD E1-7010 APU</u>	672
<u>Intel Core Duo T2300 @ 1.66GHz</u>	672
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	673
<u>Intel Pentium D 940 @ 3.20GHz</u>	675
<u>AMD Turion II Neo K685 Dual-Core</u>	678
<u>Intel Pentium E2160 @ 1.80GHz</u>	678
<u>Intel Celeron E1500 @ 2.20GHz</u>	679
<u>Intel Core Duo T2450 @ 2.00GHz</u>	681
<u>Intel Celeron J1750 @ 2.41GHz</u>	682
<u>Intel Pentium E2210 @ 2.20GHz</u>	683
<u>Intel Pentium T2130 @ 1.86GHz</u>	683

CPU Name	CPU Mark (higher is better)
<u>Intel Core2 Duo T6570 @ 2.10GHz</u>	684
<u>Intel Xeon MV 3.20GHz</u>	684
<u>Intel Pentium E2180 @ 2.00GHz</u>	685
<u>Intel Celeron P4505 @ 1.87GHz</u>	687
<u>Intel Pentium T4200 @ 2.00GHz</u>	688
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	692
<u>Intel Pentium 987 @ 1.50GHz</u>	693
<u>AMD Opteron 254</u>	694
<u>Intel Celeron G470 @ 2.00GHz</u>	695
<u>Intel Celeron 887 @ 1.50GHz</u>	697
<u>AMD Turion II Neo N54L Dual-Core</u>	698
<u>Intel Core Duo T2250 @ 1.73GHz</u>	700
<u>AMD Athlon II P340 Dual-Core</u>	702
<u>AMD Opteron 154</u>	703
<u>Intel Core Duo L2400 @ 1.66GHz</u>	703
<u>Intel Core i5-470UM @ 1.33GHz</u>	705
<u>Intel Celeron P4500 @ 1.87GHz</u>	706
<u>AMD Opteron 1214</u>	710
<u>AMD Turion II Dual-Core Mobile M500</u>	711
<u>Celeron Dual-Core T3500 @ 2.10GHz</u>	712
<u>Intel Atom D2560 @ 2.00GHz</u>	712
<u>Intel Celeron 877 @ 1.40GHz</u>	714
<u>AMD Athlon 64 FX-59</u>	716
<u>Intel Core i3-380UM @ 1.33GHz</u>	716
<u>Intel Celeron J3060 @ 1.60GHz</u>	717
<u>Intel Core2 Duo T5850 @ 2.16GHz</u>	718
<u>Intel Celeron B800 @ 1.50GHz</u>	719
<u>Intel Core2 Duo E6320 @ 1.86GHz</u>	719
<u>Intel Atom D525 @ 1.80GHz</u>	720
<u>Intel Core Duo L2300 @ 1.50GHz</u>	720
<u>Intel Atom D2701 @ 2.13GHz</u>	721
<u>AMD Turion 64 X2 Mobile TL-52</u>	722
<u>AMD Athlon II P320 Dual-Core</u>	723
<u>VIA QuadCore U4650 @ 1.0+ GHz</u>	724
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	726
<u>AMD Athlon 5200 Dual-Core</u>	728

CPU Name	CPU Mark (higher is better)
<u>Intel Celeron N2910 @ 1.60GHz</u>	730
<u>Intel Atom Z3775 @ 1.46GHz</u>	733
<u>Intel Core2 Duo T5870 @ 2.00GHz</u>	733
<u>Intel Core2 Duo P7370 @ 2.00GHz</u>	734
<u>Intel Core Duo T2350 @ 1.86GHz</u>	735
<u>Intel Atom D2550 @ 1.86GHz</u>	737
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	737
<u>Intel Pentium D 960 @ 3.60GHz</u>	737
<u>AMD E2-3000M APU</u>	739
<u>AMD Opteron 1216 HE</u>	740
<u>Intel Celeron 1047UE @ 1.40GHz</u>	740
<u>Intel Core2 Duo T7400 @ 2.16GHz</u>	740
<u>AMD Athlon II P360 Dual-Core</u>	741
<u>AMD Opteron 1216</u>	747
<u>Intel Core2 Duo L7800 @ 2.00GHz</u>	747
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	747
<u>Intel Core2 Duo T6400 @ 2.00GHz</u>	748
<u>Intel Pentium E2200 @ 2.20GHz</u>	749
<u>Intel Core2 Duo E4600 @ 2.40GHz</u>	751
<u>Intel Core2 Duo P7450 @ 2.13GHz</u>	751
<u>AMD Turion II P520 Dual-Core</u>	752
<u>Intel Core Duo T2400 @ 1.83GHz</u>	754
<u>AMD Athlon II N350 Dual-Core</u>	760
<u>Intel Pentium D 950 @ 3.40GHz</u>	760
<u>AMD Turion Neo X2 Dual Core L625</u>	762
<u>Dual-Core AMD Opteron 1220 SE</u>	762
<u>Intel Celeron N3060 @ 1.60GHz</u>	763
<u>Intel Atom E3840 @ 1.91GHz</u>	764
<u>Intel Celeron 2961Y @ 1.10GHz</u>	764
<u>AMD A4-3300M APU</u>	766
<u>Intel Xeon 3040 @ 1.86GHz</u>	767
<u>AMD GX-218GL SOC</u>	773
<u>Intel Core2 Duo E6400 @ 2.13GHz</u>	773
<u>Intel Celeron E1600 @ 2.40GHz</u>	774
<u>Intel Atom Z3770 @ 1.46GHz</u>	776
<u>Intel Core2 Duo E4500 @ 2.20GHz</u>	782

CPU Name	CPU Mark (higher is better)
<u>Intel Pentium E2220 @ 2.40GHz</u>	786
<u>Intel Pentium T4400 @ 2.20GHz</u>	788
<u>Intel Atom Z3775D @ 1.49GHz</u>	792
<u>Intel Pentium T4300 @ 2.10GHz</u>	792
<u>Intel Pentium 997 @ 1.60GHz</u>	793
<u>AMD Turion II P540 Dual-Core</u>	794
<u>AMD Athlon 64 FX-57</u>	795
<u>Intel Celeron B815 @ 1.60GHz</u>	796
<u>Intel Celeron E3200 @ 2.40GHz</u>	798
<u>Intel Core2 Duo E8135 @ 2.40GHz</u>	798
<u>Intel Core2 Duo T6670 @ 2.20GHz</u>	798
<u>Intel Pentium E6600 @ 3.06GHz</u>	799
<u>Intel Pentium T4500 @ 2.30GHz</u>	800
<u>Intel Xeon 3050 @ 2.13GHz</u>	800
<u>Intel Celeron B820 @ 1.70GHz</u>	803
<u>AMD A4-3305M APU</u>	806
<u>Intel Core Duo T2500 @ 2.00GHz</u>	807
<u>AMD Athlon X2 Dual Core 3250e</u>	809
<u>AMD Turion II N530 Dual-Core</u>	811
<u>Intel Celeron P4600 @ 2.00GHz</u>	811
<u>Intel Atom x5-Z8330 @ 1.44GHz</u>	812
<u>Intel Core i5-430UM @ 1.20GHz</u>	812
<u>AMD Turion II Ultra Dual-Core Mobile M600</u>	813
<u>AMD Phenom II P650 Dual-Core</u>	814
<u>AMD TurionX2 Dual Core Mobile RM-72</u>	815
<u>Intel Xeon E5205 @ 1.86GHz</u>	815
<u>Intel Core Duo L2500 @ 1.83GHz</u>	816
<u>Intel Pentium E6300 @ 2.80GHz</u>	816
<u>Intel Celeron E3300 @ 2.50GHz</u>	818
<u>AMD Sempron X2 180</u>	819
<u>Intel Core2 Duo T8100 @ 2.10GHz</u>	820
<u>AMD Opteron 1214 HE</u>	821
<u>Intel Atom D2700 @ 2.13GHz</u>	822
<u>Intel Pentium P6000 @ 1.87GHz</u>	822
<u>AMD A4-4355M APU</u>	824
<u>Intel Celeron B810 @ 1.60GHz</u>	824

CPU Name	CPU Mark (higher is better)
<u>Intel Pentium B960 @ 2.10GHz</u>	820
<u>Intel Xeon E5503 @ 2.00GHz</u>	826
<u>Intel Celeron 1007U @ 1.50GHz</u>	832
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	832
<u>AMD Athlon 7450 Dual-Core</u>	835
<u>AMD Turion II Dual-Core Mobile M540</u>	836
<u>Intel Xeon 5120 @ 1.86GHz</u>	838
<u>AMD Athlon 64 X2 Dual Core TK-55</u>	839
<u>AMD Athlon 64 X2 Dual Core TK-53</u>	840
<u>VIA QuadCore L4700 @ 1.2+ GHz</u>	840
<u>AMD Athlon Neo X2 Dual Core L325</u>	842
<u>AMD Athlon II X2 4300e</u>	844
<u>Intel Atom x5-Z8300 @ 1.44GHz</u>	845
<u>Intel Xeon 5130 @ 2.00GHz</u>	845
<u>Intel Pentium P6100 @ 2.00GHz</u>	846
<u>Intel Core2 Duo E6420 @ 2.13GHz</u>	848
<u>Intel Pentium P6200 @ 2.13GHz</u>	848
<u>AMD E2-9000e</u>	854
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	854
<u>AMD A4-3330MX APU</u>	855
<u>Intel Core i5-520UM @ 1.07GHz</u>	857
<u>AMD Turion X2 Dual Core Mobile RM-70</u>	859
<u>AMD Athlon II X2 4450e</u>	860
<u>Intel Xeon E5502 @ 1.87GHz</u>	860
<u>AMD Athlon Neo X2 Dual Core L335</u>	861
<u>Intel Pentium 2117U @ 1.80GHz</u>	863
<u>Intel Pentium E5200 @ 2.50GHz</u>	863
<u>Intel Celeron E3400 @ 2.60GHz</u>	865
<u>AMD Athlon X2 240</u>	867
<u>AMD Athlon 64 X2 Dual-Core TK-55</u>	868
<u>Intel Core2 Duo P8400 @ 2.26GHz</u>	869
<u>AMD Turion II N550 Dual-Core</u>	870
<u>Intel Core i3-2357M @ 1.30GHz</u>	871
<u>AMD Athlon 5000 Dual-Core</u>	872
<u>AMD Sempron X2 190</u>	872
<u>AMD A6-9200</u>	873

CPU Name	CPU Mark (higher is better)
<u>Intel Core i3-5400M @ 1.20GHz</u>	814
<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	878
<u>AMD Athlon X2 Dual Core BE-2300</u>	879
<u>AMD A6-4455M APU</u>	880
<u>AMD Athlon 64 X2 QL-64</u>	880
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	880
<u>AMD Athlon 64 X2 Dual-Core TK-42</u>	884
<u>AMD A4-3310MX APU</u>	885
<u>Intel Pentium 3560Y @ 1.20GHz</u>	886
<u>Intel Core2 Duo E6540 @ 2.33GHz</u>	888
<u>AMD Athlon II N370 Dual-Core</u>	891
<u>AMD E2-9030</u>	891
<u>Intel Celeron 2957U @ 1.40GHz</u>	891
<u>Intel Pentium B940 @ 2.00GHz</u>	895
<u>AMD Turion II P560 Dual-Core</u>	896
<u>Intel Core2 Duo P9300 @ 2.26GHz</u>	897
<u>Intel Atom C2338 @ 1.74GHz</u>	898
<u>AMD Opteron 165</u>	899
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	899
<u>AMD E2-3200 APU</u>	900
<u>AMD Athlon II X2 4400e</u>	901
<u>Intel Core2 Duo T7600 @ 2.33GHz</u>	903
<u>Intel Xeon 3065 @ 2.33GHz</u>	903
<u>AMD Athlon Neo X2 Dual Core 6850e</u>	904
<u>AMD A4-9120C</u>	905
<u>AMD Athlon 64 X2 QL-60</u>	908
<u>Intel Core2 Duo E7400 @ 2.80GHz</u>	908
<u>AMD Athlon 64 X2 Dual-Core TK-53</u>	911
<u>Intel Pentium Extreme Edition 955 @ 3.46GHz</u>	912
<u>Intel Atom S1260 @ 2.00GHz</u>	916
<u>Intel Pentium B960 @ 2.20GHz</u>	917
<u>Intel Core2 Duo E7200 @ 2.53GHz</u>	918
<u>AMD Athlon 64 X2 QL-62</u>	919
<u>AMD E2-3800 APU</u>	919
<u>AMD A4-3320M APU</u>	920
<u>AMD Turion X2 Dual Core L510</u>	924

CPU Name	CPU Mark (higher is better)
<u>AMD Opteron 1210</u>	920
<u>AMD QC-4000</u>	929
<u>AMD Athlon 64 X2 Dual Core 3600+</u>	930
<u>AMD Athlon X2 255</u>	930
<u>AMD Athlon II X2 245</u>	933
<u>AMD Athlon X2 215</u>	937
<u>Intel Core i7-620UM @ 1.07GHz</u>	937
<u>Intel Core i7-640UM @ 1.20GHz</u>	938
<u>Intel Pentium P6300 @ 2.27GHz</u>	939
<u>AMD Athlon 64 X2 Dual Core 3400+</u>	940
<u>AMD Athlon II X2 215</u>	940
<u>Intel Core2 Duo P7570 @ 2.26GHz</u>	940
<u>Intel Core Duo T2600 @ 2.16GHz</u>	941
<u>Intel Core2 Duo P7550 @ 2.26GHz</u>	941
<u>Intel Celeron N3150 @ 1.60GHz</u>	942
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	942
<u>AMD A6-9220e</u>	943
<u>AMD Turion X2 Dual-Core Mobile RM-70</u>	943
<u>Intel Celeron B840 @ 1.90GHz</u>	943
<u>VIA Eden X4 C4250 @ 1.2+GHz</u>	944
<u>AMD Athlon Dual Core 4450e</u>	945
<u>Intel Pentium N3510 @ 1.99GHz</u>	945
<u>Intel Celeron 1017U @ 1.60GHz</u>	947
<u>AMD Turion 64 X2 Mobile TL-58</u>	948
<u>AMD Athlon 64 X2 Dual-Core TK-57</u>	950
<u>Intel Celeron 3205U @ 1.50GHz</u>	952
<u>AMD Athlon II X2 240e</u>	954
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	954
<u>AMD Athlon X2 240e</u>	955
<u>AMD E2-9000</u>	955
<u>Intel Core2 Duo E4700 @ 2.60GHz</u>	956
<u>Intel Core2 Duo P8600 @ 2.40GHz</u>	956
<u>AMD E2-9010</u>	957
<u>AMD Phenom II N640 Dual-Core</u>	957
<u>AMD Athlon 64 X2 3800+</u>	959
<u>AMD Phenom II P820 Triple-Core</u>	959

CPU Name	CPU Mark (higher is better)
<u>Intel Atom C2338 @ 1.74GHz</u>	901
<u>Intel Celeron J1850 @ 1.99GHz</u>	963
<u>Intel Celeron N2920 @ 1.86GHz</u>	963
<u>Intel Celeron 2955U @ 1.40GHz</u>	964
<u>Intel Pentium G630T @ 2.30GHz</u>	964
<u>AMD Athlon 64 X2 Dual Core 3800+</u>	966
<u>Intel Core2 Duo E6750 @ 2.66GHz</u>	966
<u>Intel Core2 Duo E6600 @ 2.40GHz</u>	970
<u>AMD A6 PRO-7050B APU</u>	971
<u>Intel Celeron N2930 @ 1.83GHz</u>	971
<u>AMD Sempron Dual Core 2100</u>	972
<u>AMD Athlon II X2 B22</u>	973
<u>AMD Sempron X2 198 Dual-Core</u>	975
<u>Intel Core i3-2365M @ 1.40GHz</u>	975
<u>Intel Xeon 5140 @ 2.33GHz</u>	976
<u>Intel Celeron E3500 @ 2.70GHz</u>	977
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	977
<u>AMD Athlon II X2 240</u>	978
<u>AMD Phenom II N620 Dual-Core</u>	980
<u>AMD Phenom X2 Dual-Core GP-7730</u>	980
<u>AMD Sempron 3850 APU</u>	980
<u>Intel Core2 Duo T9300 @ 2.50GHz</u>	980
<u>AMD Sempron Dual Core 2300</u>	982
<u>Intel Core i3-2340UE @ 1.30GHz</u>	982
<u>Intel Core2 Duo E6550 @ 2.33GHz</u>	982
<u>Intel Celeron 2981U @ 1.60GHz</u>	983
<u>Intel Core i5-560UM @ 1.33GHz</u>	986
<u>AMD A6-7000</u>	987
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	987
<u>AMD Athlon 64 X2 Dual Core 6000+</u>	988
<u>AMD Athlon Dual Core 4050e</u>	989
<u>AMD Phenom II P840 Triple-Core</u>	989
<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	989
<u>AMD GX-412HC</u>	990
<u>AMD PRO A4-4350B</u>	992
<u>Intel Atom x5-Z8350 @ 1.44GHz</u>	992

CPU Name	CPU Mark (higher is better)
<u>AMD Turion X2 Mobile TL-50</u>	994
<u>Intel Core2 Duo SP9400 @ 2.40GHz</u>	995
<u>AMD Sempron Dual Core 2200</u>	996
<u>AMD Athlon II X2 B24</u>	998
<u>AMD Athlon II X2 245e</u>	999
<u>AMD Athlon X2 Dual Core 6850e</u>	999
<u>Intel Pentium A1018 @ 2.10GHz</u>	999
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,000
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	1,000
<u>AMD A4 PRO-7350B</u>	1,001
<u>Intel Pentium E5400 @ 2.70GHz</u>	1,001
<u>AMD Phenom X2 Dual-Core GE-7060</u>	1,002
<u>Intel Core2 Duo E7300 @ 2.66GHz</u>	1,002
<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	1,002
<u>Intel Celeron N2940 @ 1.83GHz</u>	1,003
<u>AMD Phenom 8400 Triple-Core</u>	1,004
<u>Intel Core i3-2367M @ 1.40GHz</u>	1,004
<u>AMD Athlon 64 X2 QL-67</u>	1,006
<u>Intel Xeon 5148 @ 2.33GHz</u>	1,006
<u>Intel Core Duo T2700 @ 2.33GHz</u>	1,007
<u>Intel Xeon 5133 @ 2.20GHz</u>	1,011
<u>AMD Opteron 1212</u>	1,015
<u>AMD TurionX2 Dual Core Mobile RM-70</u>	1,015
<u>Intel Core i7-680UM @ 1.47GHz</u>	1,016
<u>AMD Turion Dual-Core RM-74</u>	1,017
<u>AMD Athlon II X2 220</u>	1,018
<u>AMD Athlon II X2 235e</u>	1,018
<u>AMD R-260H APU</u>	1,019
<u>AMD A4-3300 APU</u>	1,022
<u>AMD Athlon 64 X2 Dual Core 5200+</u>	1,022
<u>AMD Athlon 64 X2 QL-66</u>	1,022
<u>AMD Athlon X2 250</u>	1,022
<u>AMD Turion X2 Dual-Core Mobile RM-75</u>	1,024
<u>AMD Athlon 7550 Dual-Core</u>	1,026
<u>Intel Celeron U1900 @ 1.99GHz</u>	1,026
<u>AMD A4 Micro-6400T APU</u>	1,029

CPU Name	CPU Mark (higher is better)
<u>AMD A4-3400 APU</u>	1,030
<u>AMD Turion X2 Dual-Core Mobile RM-72</u>	1,032
<u>Intel Pentium E5500 @ 2.80GHz</u>	1,032
<u>AMD A9-9420e</u>	1,034
<u>AMD Embedded G-Series GX-215JJ Radeon R2E</u>	1,037
<u>AMD Athlon II X2 250e</u>	1,038
<u>Intel Atom E3845 @ 1.91GHz</u>	1,039
<u>Intel Xeon W3503 @ 2.40GHz</u>	1,040
<u>AMD Athlon II X2 260</u>	1,041
<u>AMD Phenom II P920 Quad-Core</u>	1,042
<u>AMD Athlon 64 X2 Dual Core BE-2350</u>	1,045
<u>Intel Core i3-2377M @ 1.50GHz</u>	1,046
<u>AMD Turion 64 X2 Mobile TL-60</u>	1,047
<u>AMD Athlon 7750 Dual-Core</u>	1,048
<u>Intel Pentium E5300 @ 2.60GHz</u>	1,048
<u>Intel Core i3-2310M @ 2.10GHz</u>	1,050
<u>AMD Phenom II N660 Dual-Core</u>	1,051
<u>AMD Phenom II P860 Triple-Core</u>	1,051
<u>Intel Celeron 1037U @ 1.80GHz</u>	1,051
<u>AMD Opteron 1220</u>	1,055
<u>Intel Celeron G1101 @ 2.27GHz</u>	1,055
<u>AMD A4-5000 APU</u>	1,057
<u>Intel Core i3-2375M @ 1.50GHz</u>	1,060
<u>Intel Core i7-660UM @ 1.33GHz</u>	1,060
<u>Intel Celeron G530T @ 2.00GHz</u>	1,061
<u>Intel Pentium 3558U @ 1.70GHz</u>	1,061
<u>AMD Phenom X4 Quad-Core GS-6560</u>	1,063
<u>Intel Core2 Duo E7500 @ 2.93GHz</u>	1,063
<u>AMD GX-222GC SOC</u>	1,064
<u>Intel Core2 Duo E6700 @ 2.66GHz</u>	1,064
<u>Intel Core2 Extreme X7800 @ 2.60GHz</u>	1,066
<u>Intel Pentium E6500 @ 2.93GHz</u>	1,067
<u>Intel Pentium 3556U @ 1.70GHz</u>	1,068
<u>Intel Celeron 3965Y @ 1.50GHz</u>	1,070
<u>Intel Xeon 5150 @ 2.66GHz</u>	1,070
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	1,071

CPU Name	CPU Mark (higher is better)
<u>Intel Pentium B960 @ 2.40GHz</u>	1,071
<u>AMD Athlon 64 X2 Dual Core 4200+</u>	1,074
<u>Intel Xeon 3060 @ 2.40GHz</u>	1,076
<u>AMD Turion Dual-Core RM-70</u>	1,078
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,078
<u>AMD Athlon II X2 250</u>	1,079
<u>AMD Athlon II X2 270</u>	1,080
<u>Intel Atom x5-Z8500 @ 1.44GHz</u>	1,080
<u>AMD Athlon 64 X2 Dual Core BE-2300</u>	1,082
<u>AMD A4-4300M APU</u>	1,083
<u>Intel Pentium E5800 @ 3.20GHz</u>	1,083
<u>AMD Athlon 64 X2 Dual Core 4000+</u>	1,086
<u>Intel Atom Z3795 @ 1.60GHz</u>	1,086
<u>Intel Celeron J1900 @ 1.99GHz</u>	1,086
<u>Intel Pentium G620T @ 2.20GHz</u>	1,089
<u>AMD Phenom II N850 Triple-Core</u>	1,090
<u>AMD Turion X2 Dual Core Mobile RM-76</u>	1,090
<u>Intel Core2 Duo E8135 @ 2.66GHz</u>	1,090
<u>AMD A4-5100 APU</u>	1,091
<u>AMD Athlon 64 X2 Dual Core 6400+</u>	1,093
<u>Intel Pentium 2127U @ 1.90GHz</u>	1,093
<u>Intel Pentium N3530 @ 2.16GHz</u>	1,093
<u>AMD Athlon Dual Core 4450B</u>	1,096
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,096
<u>AMD Opteron 170</u>	1,097
<u>AMD Turion X2 Dual-Core Mobile RM-77</u>	1,097
<u>Intel Pentium E6700 @ 3.20GHz</u>	1,097
<u>AMD A4-4000 APU</u>	1,099
<u>Intel Atom x5-E3930 @ 1.30GHz</u>	1,100
<u>Intel Core i5-2537M @ 1.40GHz</u>	1,100
<u>Intel Celeron 2980U @ 1.60GHz</u>	1,101
<u>Intel Pentium J2850 @ 2.41GHz</u>	1,103
<u>AMD A8-7050</u>	1,104
<u>Intel Core2 Duo T9550 @ 2.66GHz</u>	1,104
<u>AMD A6-9210</u>	1,106
<u>AMD Phenom II N830 Triple-Core</u>	1,106

CPU Name	CPU Mark (higher is better)
<u>AMD Athlon64 X2 Dual Core 4000+</u>	1,108
<u>Intel Celeron 2002E @ 1.50GHz</u>	1,108
<u>Intel Celeron G550T @ 2.20GHz</u>	1,108
<u>Intel Pentium B970 @ 2.30GHz</u>	1,108
<u>AMD Opteron 1222</u>	1,110
<u>Intel Celeron 3215U @ 1.70GHz</u>	1,112
<u>Intel Xeon L5320 @ 1.86GHz</u>	1,114
<u>Intel Core i7-620LM @ 2.00GHz</u>	1,115
<u>AMD Phenom 8600 Triple-Core</u>	1,119
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,119
<u>AMD Turion Dual-Core RM-72</u>	1,121
<u>AMD A4-3420 APU</u>	1,122
<u>Intel Pentium E6800 @ 3.33GHz</u>	1,123
<u>Intel Xeon W3505 @ 2.53GHz</u>	1,123
<u>AMD Athlon 64 X2 QL-65</u>	1,126
<u>AMD Athlon II X2 210e</u>	1,127
<u>AMD Athlon II X2 B26</u>	1,127
<u>Intel Core2 Duo T9800 @ 2.93GHz</u>	1,127
<u>AMD Athlon 7850 Dual-Core</u>	1,130
<u>AMD Athlon II X2 255</u>	1,131
<u>AMD Turion 64 X2 Mobile TL-62</u>	1,131
<u>Intel Celeron G1820TE @ 2.20GHz</u>	1,132
<u>AMD A4-5050 APU</u>	1,135
<u>AMD Turion 64 X2 Mobile TL-66</u>	1,136
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	1,136
<u>AMD Turion Dual-Core RM-75</u>	1,139
<u>Intel Core2 Duo E8335 @ 2.66GHz</u>	1,140
<u>AMD Athlon 64 X2 Dual Core 4400+</u>	1,142
<u>Intel Core2 Extreme X6800 @ 2.93GHz</u>	1,144
<u>Intel Pentium G640T @ 2.40GHz</u>	1,144
<u>AMD Phenom II X2 B53</u>	1,145
<u>AMD A6-4400M APU</u>	1,146
<u>AMD Athlon II X2 280</u>	1,148
<u>AMD Athlon 5150 APU</u>	1,150
<u>Intel Core i3-330M @ 2.13GHz</u>	1,150
<u>Athlon Dual Core 4050e</u>	1,152

CPU Name	CPU Mark (higher is better)
<u>AMD Phenom II X2 511</u>	1,153
<u>Intel Core2 Duo E8235 @ 2.80GHz</u>	1,153
<u>Intel Pentium E5700 @ 3.00GHz</u>	1,153
<u>Intel Celeron G530 @ 2.40GHz</u>	1,154
<u>AMD Phenom II X640 Dual-Core</u>	1,155
<u>Intel Pentium Extreme Edition 965 @ 3.73GHz</u>	1,155
<u>Intel Core2 Duo T9900 @ 3.06GHz</u>	1,156
<u>Intel Pentium G6950 @ 2.80GHz</u>	1,158
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,162
<u>Intel Core i3-2348M @ 2.30GHz</u>	1,163
<u>AMD Athlon X2 Dual Core BE-2350</u>	1,164
<u>AMD A4-5300B APU</u>	1,165
<u>AMD Phenom 9100e Quad-Core</u>	1,165
<u>Intel Celeron 3755U @ 1.70GHz</u>	1,165
<u>Intel Pentium N3520 @ 2.16GHz</u>	1,167
<u>Intel Xeon E3110 @ 3.00GHz</u>	1,167
<u>AMD Opteron 175</u>	1,168
<u>Intel Xeon 3070 @ 2.66GHz</u>	1,168
<u>AMD Athlon II X2 B28</u>	1,169
<u>Intel Pentium N3700 @ 1.60GHz</u>	1,169
<u>AMD A4-5300 APU</u>	1,170
<u>AMD Opteron 270</u>	1,170
<u>AMD A6 Micro-6500T APU</u>	1,175
<u>Intel Xeon 3085 @ 3.00GHz</u>	1,175
<u>AMD Opteron 280</u>	1,177
<u>Intel Celeron N3350 @ 1.10GHz</u>	1,177
<u>AMD Athlon II X2 265</u>	1,178
<u>Intel Core2 Duo E8300 @ 2.83GHz</u>	1,179
<u>AMD Phenom II X2 521</u>	1,180
<u>Intel Celeron G540T @ 2.10GHz</u>	1,181
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-80</u>	1,182
<u>AMD Phenom II P940 Quad-Core</u>	1,185
<u>Intel Core2 Duo E7600 @ 3.06GHz</u>	1,187
<u>AMD A6-9220C</u>	1,188
<u>Intel Pentium G645T @ 2.50GHz</u>	1,188
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	1,190

CPU Name	CPU Mark (higher is better)
<u>Intel Core2 Duo E8435 @ 3.00GHz</u>	1,197
<u>AMD Athlon 64 X2 Dual Core 4800+</u>	1,200
<u>AMD Phenom X4 Quad-Core GP-9500</u>	1,200
<u>Intel Core i5-2557M @ 1.70GHz</u>	1,200
<u>AMD Athlon 64 FX-60 Dual Core</u>	1,201
<u>AMD Phenom 8250e Triple-Core</u>	1,202
<u>Athlon Dual Core 4450e</u>	1,204
<u>Intel Pentium N3540 @ 2.16GHz</u>	1,208
<u>Intel Core2 Duo E8400 @ 3.00GHz</u>	1,209
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	1,211
<u>AMD Athlon Dual Core 5200B</u>	1,212
<u>AMD Athlon 64 X2 Dual Core 5600+</u>	1,213
<u>Intel Pentium 3805U @ 1.90GHz</u>	1,213
<u>AMD Athlon 64 X2 Dual Core 4600+</u>	1,214
<u>AMD Phenom II X2 B55</u>	1,214
<u>Intel Celeron 3855U @ 1.60GHz</u>	1,214
<u>Intel Core i3-380M @ 2.53GHz</u>	1,216
<u>AMD Athlon X2 Dual Core BE-2400</u>	1,217
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-82</u>	1,217
<u>AMD A6-5345M APU</u>	1,218
<u>AMD Phenom II X2 B57</u>	1,218
<u>Intel Atom x5-E8000 @ 1.04GHz</u>	1,219
<u>Intel Core2 Duo E8500 @ 3.16GHz</u>	1,220
<u>Intel Core i3-3229Y @ 1.40GHz</u>	1,221
<u>Intel Core i3-330E @ 2.13GHz</u>	1,224
<u>Intel Core i3-3217U @ 1.80GHz</u>	1,225
<u>AMD A4-5150M APU</u>	1,226
<u>AMD Embedded G-Series GX-224IJ Radeon R4E</u>	1,227
<u>Intel Xeon 3.73GHz</u>	1,227
<u>Intel Xeon 3075 @ 2.66GHz</u>	1,231
<u>AMD A6-3400M APU</u>	1,232
<u>Intel Celeron G550 @ 2.60GHz</u>	1,233
<u>Athlon 64 Dual Core 3800+</u>	1,234
<u>AMD A6-9230</u>	1,235
<u>AMD Phenom 8250 Triple-Core</u>	1,235
<u>Intel Core2 Duo E8335 @ 2.93GHz</u>	1,235

CPU Name	CPU Mark (higher is better)
<u>Intel Core i3-2330M @ 2.20GHz</u>	1,244
<u>Intel Xeon 5160 @ 3.00GHz</u>	1,244
<u>AMD Phenom II X2 550</u>	1,246
<u>AMD Phenom II X620 Dual-Core</u>	1,251
<u>Intel Pentium J2900 @ 2.41GHz</u>	1,254
<u>AMD Phenom II N870 Triple-Core</u>	1,255
<u>Intel Pentium G6960 @ 2.93GHz</u>	1,256
<u>AMD Phenom 8450e Triple-Core</u>	1,258
<u>Intel Celeron 1020M @ 2.10GHz</u>	1,259
<u>Intel Core i5-430M @ 2.27GHz</u>	1,259
<u>AMD GX-415GA SOC</u>	1,260
<u>AMD Phenom II X2 560</u>	1,260
<u>Intel Core2 Duo E6850 @ 3.00GHz</u>	1,260
<u>AMD A4-9125</u>	1,262
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-85</u>	1,262
<u>Intel Pentium A1020 @ 2.41GHz</u>	1,262
<u>Intel Celeron G540 @ 2.50GHz</u>	1,263
<u>AMD A6-9220</u>	1,264
<u>AMD Opteron 180</u>	1,264
<u>AMD R-460L APU</u>	1,264
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-84</u>	1,265
<u>AMD Phenom 8850 Triple-Core</u>	1,266
<u>AMD Athlon II X3 415e</u>	1,268
<u>AMD Phenom II X2 555</u>	1,270
<u>Intel Atom x7-Z8700 @ 1.60GHz</u>	1,272
<u>Intel Celeron G555 @ 2.70GHz</u>	1,275
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	1,277
<u>AMD A6-5350M APU</u>	1,278
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	1,279
<u>AMD Athlon Dual Core 4850e</u>	1,280
<u>AMD Phenom 8450 Triple-Core</u>	1,280
<u>AMD Phenom 8650 Triple-Core</u>	1,281
<u>Intel Core i3-2328M @ 2.20GHz</u>	1,282
<u>AMD A4 PRO-3340B</u>	1,284
<u>AMD A6-9225</u>	1,285
<u>AMD Athlon Dual Core 4850B</u>	1,286

CPU Name	CPU Mark (higher is better)
<u>AMD Phenom II X4 940</u>	1,291
<u>AMD Phenom 8600B Triple-Core</u>	1,293
<u>Intel Pentium G620 @ 2.60GHz</u>	1,293
<u>AMD R-272F APU</u>	1,297
<u>Intel Core i5-460M @ 2.53GHz</u>	1,301
<u>Intel Celeron 2950M @ 2.00GHz</u>	1,302
<u>Intel Celeron G1610T @ 2.30GHz</u>	1,303
<u>AMD Athlon Dual Core 5600B</u>	1,304
<u>AMD Phenom 9150e Quad-Core</u>	1,305
<u>AMD Phenom II P960 Quad-Core</u>	1,305
<u>AMD Athlon 64 X2 Dual Core 5000+</u>	1,306
<u>AMD Athlon II X3 400e</u>	1,308
<u>AMD Athlon II X3 405e</u>	1,308
<u>Intel Celeron 4205U @ 1.80GHz</u>	1,309
<u>AMD Phenom II N930 Quad-Core</u>	1,310
<u>AMD Phenom II X2 B59</u>	1,310
<u>Intel Celeron 3765U @ 1.90GHz</u>	1,314
<u>AMD Athlon X2 280</u>	1,316
<u>AMD A6-6400K APU</u>	1,317
<u>AMD Phenom 8750B Triple-Core</u>	1,317
<u>Intel Celeron N3160 @ 1.60GHz</u>	1,318
<u>AMD Opteron 185</u>	1,319
<u>AMD Turion 64 X2 Mobile TL-68</u>	1,319
<u>AMD A10 Micro-6700T APU</u>	1,323
<u>Intel Core i5 750S @ 2.40GHz</u>	1,323
<u>VIA QuadCore C4650@2.0GHz</u>	1,323
<u>Intel Celeron J3355 @ 2.00GHz</u>	1,325
<u>Intel Core i5-450M @ 2.40GHz</u>	1,331
<u>AMD A6-5357M APU</u>	1,334
<u>Intel Core i3-390M @ 2.67GHz</u>	1,337
<u>AMD Phenom II X3 705e</u>	1,339
<u>Intel Celeron 3865U @ 1.80GHz</u>	1,339
<u>Intel Xeon E3120 @ 3.16GHz</u>	1,339
<u>AMD A6-3410MX APU</u>	1,341
<u>AMD A6-8500P</u>	1,342
<u>AMD Athlon Dual Core 5050e</u>	1,342

CPU Name	CPU Mark (higher is better)
<u>AMD Athlon II X3 420e</u>	1,344
<u>AMD A8-3500M APU</u>	1,345
<u>Intel Core i3-3217UE @ 1.60GHz</u>	1,346
<u>AMD A6-3500 APU</u>	1,352
<u>Intel Pentium G2010 @ 2.80GHz</u>	1,354
<u>AMD Athlon X2 340 Dual Core</u>	1,355
<u>Intel Xeon L5240 @ 3.00GHz</u>	1,357
<u>Intel Xeon L3110 @ 3.00GHz</u>	1,359
<u>AMD A6-3420M APU</u>	1,360
<u>AMD A9-9400</u>	1,360
<u>Athlon Dual Core 4850e</u>	1,360
<u>Intel Core i3-2332M @ 2.20GHz</u>	1,360
<u>AMD Phenom X4 Quad-Core GP-9530</u>	1,361
<u>Intel Pentium G6951 @ 2.80GHz</u>	1,361
<u>AMD A4-4020 APU</u>	1,362
<u>AMD Sempron 240</u>	1,364
<u>Intel Pentium 4410Y @ 1.50GHz</u>	1,365
<u>Intel Core i3-4010Y @ 1.30GHz</u>	1,367
<u>Intel Core i5-480M @ 2.67GHz</u>	1,367
<u>Intel Core i5-3339Y @ 1.50GHz</u>	1,369
<u>Intel Core2 Duo E8290 @ 2.83GHz</u>	1,369
<u>AMD Athlon 64 X2 Dual Core 5400+</u>	1,372
<u>Intel Pentium 2020M @ 2.40GHz</u>	1,373
<u>Intel Core i3-2312M @ 2.10GHz</u>	1,377
<u>Intel Xeon X5260 @ 3.33GHz</u>	1,384
<u>AMD E1-6050J APU</u>	1,385
<u>AMD Phenom 8750 Triple-Core</u>	1,386
<u>Intel Celeron J3160 @ 1.60GHz</u>	1,387
<u>AMD A8-3520M APU</u>	1,390
<u>Intel Celeron 1020E @ 2.20GHz</u>	1,390
<u>Intel Pentium G630 @ 2.70GHz</u>	1,390
<u>AMD GX-420CA SOC</u>	1,393
<u>AMD Opteron 2220 SE</u>	1,398
<u>AMD Phenom II X2 570</u>	1,398
<u>Intel Xeon E5320 @ 1.86GHz</u>	1,398
<u>AMD A6-3430MX APU</u>	1,403

CPU Name	CPU Mark (higher is better)
<u>AMD PRO A6-9500B</u>	1,409
<u>AMD Athlon 64 X2 Dual Core 5800+</u>	1,410
<u>Intel Core i3-3227U @ 1.90GHz</u>	1,411
<u>Intel Xeon X5272 @ 3.40GHz</u>	1,411
<u>AMD Athlon X3 440</u>	1,413
<u>Intel Core2 Duo E8600 @ 3.33GHz</u>	1,415
<u>Intel Core i7-2610UE @ 1.50GHz</u>	1,417
<u>Intel Pentium G840 @ 2.80GHz</u>	1,419
<u>AMD Phenom 8850B Triple-Core</u>	1,420
<u>AMD Phenom II X2 565</u>	1,420
<u>Intel Atom x5-Z8550 @ 1.44GHz</u>	1,422
<u>Intel Pentium G640 @ 2.80GHz</u>	1,422
<u>AMD Phenom 9500 Quad-Core</u>	1,427
<u>Intel Xeon E3-1220L v3 @ 1.10GHz</u>	1,428
<u>Intel Celeron N4000C @ 1.10GHz</u>	1,432
<u>Intel Xeon E5310 @ 1.60GHz</u>	1,435
<u>AMD Athlon X3 455</u>	1,439
<u>Intel Celeron 3867U @ 1.80GHz</u>	1,439
<u>AMD Phenom II N950 Quad-Core</u>	1,442
<u>AMD Opteron 2393 SE</u>	1,443
<u>AMD A8-4555M APU</u>	1,446
<u>Intel Pentium G2020T @ 2.50GHz</u>	1,450
<u>Intel Xeon E3113 @ 3.00GHz</u>	1,451
<u>Intel Core i3-4012Y @ 1.50GHz</u>	1,452
<u>Intel Core i3-4020Y @ 1.50GHz</u>	1,452
<u>AMD TurionX2 Ultra DualCore Mobile ZM-85</u>	1,454
<u>Intel Core i3-2370M @ 2.40GHz</u>	1,458
<u>Intel Core i5-4220Y @ 1.60GHz</u>	1,460
<u>Intel Xeon @ 2.20GHz</u>	1,461
<u>AMD Athlon Dual Core 5400B</u>	1,462
<u>Intel Pentium N3710 @ 1.60GHz</u>	1,462
<u>AMD Opteron 290</u>	1,465
<u>AMD Athlon II X3 425</u>	1,468
<u>AMD Phenom II N970 Quad-Core</u>	1,468
<u>AMD A6-5400K APU</u>	1,470
<u>AMD Opteron 285</u>	1,470

CPU Name	CPU Mark (higher is better)
<u>AMD Athlon II X3 450</u>	1,474
<u>Intel Pentium 2030M @ 2.50GHz</u>	1,474
<u>Intel Core i5-4202Y @ 1.60GHz</u>	1,477
<u>Intel Pentium J3710 @ 1.60GHz</u>	1,477
<u>AMD A9-9410</u>	1,478
<u>AMD A6-6310 APU</u>	1,480
<u>Intel Core i5-2467M @ 1.60GHz</u>	1,485
<u>Intel Pentium 4405Y @ 1.50GHz</u>	1,485
<u>AMD Athlon X3 425</u>	1,489
<u>Intel Celeron G1620T @ 2.40GHz</u>	1,489
<u>Intel Core i5-540M @ 2.53GHz</u>	1,489
<u>Intel Core i3-2350M @ 2.30GHz</u>	1,490
<u>Pentium Dual-Core E6000 @ 3.46GHz</u>	1,494
<u>AMD Athlon 64 FX-74</u>	1,495
<u>AMD Opteron X3216 APU</u>	1,496
<u>Intel Pentium G645 @ 2.90GHz</u>	1,498
<u>AMD A9-9420</u>	1,499
<u>AMD Phenom II X920 Quad-Core</u>	1,500
<u>Intel Celeron G1630 @ 2.80GHz</u>	1,500
<u>AMD A4-6300 APU</u>	1,504
<u>Athlon 64 Dual Core 5000+</u>	1,504
<u>AMD A6 PRO-7400B</u>	1,506
<u>AMD A6-5400B APU</u>	1,508
<u>AMD A8 PRO-7150B APU</u>	1,510
<u>AMD A4-6210 APU</u>	1,513
<u>Intel Pentium 3550M @ 2.30GHz</u>	1,520
<u>Intel Xeon L5310 @ 1.60GHz</u>	1,521
<u>Intel Pentium G860 @ 3.00GHz</u>	1,522
<u>AMD Phenom II X3 700e</u>	1,523
<u>Intel Celeron 2970M @ 2.20GHz</u>	1,524
<u>Intel Pentium G850 @ 2.90GHz</u>	1,524
<u>AMD Phenom X4 Quad-Core GP-9600</u>	1,526
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	1,526
<u>Intel Core2 Quad Q8300 @ 2.50GHz</u>	1,529
<u>AMD Phenom 9650 Quad-Core</u>	1,530
<u>Intel Celeron G1620 @ 2.70GHz</u>	1,531

CPU Name	CPU Mark (higher is better)
<u>Intel Core i3-540 @ 3.07GHz</u>	1,532
<u>AMD Athlon II X3 445</u>	1,534
<u>AMD Phenom II X3 710</u>	1,538
<u>Intel Pentium 3825U @ 1.90GHz</u>	1,538
<u>Intel Celeron N4000 @ 1.10GHz</u>	1,540
<u>AMD A4 PRO-7300B APU</u>	1,543
<u>AMD Phenom 9350e Quad-Core</u>	1,544
<u>Intel Xeon E5335 @ 2.00GHz</u>	1,544
<u>Intel Pentium G870 @ 3.10GHz</u>	1,545
<u>Intel Xeon X5270 @ 3.50GHz</u>	1,547
<u>ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</u>	1,547
<u>Athlon 64 Dual Core 5600+</u>	1,548
<u>AMD A9-9430</u>	1,551
<u>AMD A8-3530MX APU</u>	1,552
<u>AMD E2-7110 APU</u>	1,553
<u>Intel Celeron 3965U @ 2.20GHz</u>	1,553
<u>AMD A4-6300B APU</u>	1,560
<u>Intel Core i7-640LM @ 2.13GHz</u>	1,561
<u>AMD PRO A4-3350B APU</u>	1,562
<u>AMD A4-7300 APU</u>	1,563
<u>AMD Embedded R-Series RX-216GD</u>	1,565
<u>AMD Phenom X2 Dual-Core GE-5060</u>	1,566
<u>Intel Xeon E5504 @ 2.00GHz</u>	1,570
<u>AMD Phenom 9600 Quad-Core</u>	1,571
<u>Intel Core i3-2310E @ 2.10GHz</u>	1,573
<u>Intel Core i5 E 520 @ 2.40GHz</u>	1,573
<u>Intel Pentium G2030T @ 2.60GHz</u>	1,576
<u>Intel Celeron G1610 @ 2.60GHz</u>	1,577
<u>Intel Pentium G2020 @ 2.90GHz</u>	1,579
<u>AMD A6-5200 APU</u>	1,580
<u>Intel Celeron G1840T @ 2.50GHz</u>	1,588
<u>AMD Phenom II N830 3+1</u>	1,589
<u>Intel Celeron 3955U @ 2.00GHz</u>	1,592
<u>AMD Athlon 5370 APU</u>	1,593
<u>AMD Opteron 2218</u>	1,594
<u>AMD PRO A6-8530B</u>	1,596

CPU Name	CPU Mark (higher is better)
<u>AMD A4-6320 APU</u>	1,610
<u>Intel Pentium G2120T @ 2.70GHz</u>	1,613
<u>Intel Xeon E7320 @ 2.13GHz</u>	1,614
<u>AMD Phenom II X940 Quad-Core</u>	1,615
<u>AMD Athlon 64 FX-62 Dual Core</u>	1,616
<u>HP Hexa-Core 2.0GHz</u>	1,616
<u>Intel Xeon E5405 @ 2.00GHz</u>	1,617
<u>AMD A8-7100 APU</u>	1,619
<u>Intel Celeron G1830 @ 2.80GHz</u>	1,619
<u>Intel Core i3-4005U @ 1.70GHz</u>	1,619
<u>Intel Core i5-4300Y @ 1.60GHz</u>	1,619
<u>AMD Opteron 1352</u>	1,621
<u>AMD PRO A6-7350B</u>	1,621
<u>Intel Pentium 4415Y @ 1.60GHz</u>	1,621
<u>Intel Core i7-3689Y @ 1.50GHz</u>	1,622
<u>AMD Athlon II X3 460</u>	1,624
<u>Intel Core i5-4200Y @ 1.40GHz</u>	1,625
<u>AMD Athlon II X4 610e</u>	1,630
<u>Intel Celeron 2000E @ 2.20GHz</u>	1,632
<u>AMD Athlon X2 370K Dual Core</u>	1,633
<u>Intel Pentium 3560M @ 2.40GHz</u>	1,634
<u>AMD A4-6250J APU</u>	1,637
<u>AMD PRO A6-8500B</u>	1,638
<u>AMD Phenom II X4 B15e</u>	1,640
<u>Intel Core i3-530 @ 2.93GHz</u>	1,640
<u>AMD Embedded G-Series GX-420GI Radeon R7E</u>	1,646
<u>AMD Phenom II X4 900e</u>	1,648
<u>Intel Pentium G3320TE @ 2.30GHz</u>	1,648
<u>AMD Athlon II X3 435</u>	1,649
<u>Intel Pentium G2030 @ 3.00GHz</u>	1,649
<u>Intel Core M-5Y51 @ 1.10GHz</u>	1,651
<u>AMD A8-3510MX APU</u>	1,653
<u>AMD A8-3550MX APU</u>	1,656
<u>AMD A6-6420K APU</u>	1,657
<u>Intel Core i7-2677M @ 1.80GHz</u>	1,662
<u>AMD Athlon 5350 APU</u>	1,664

CPU Name	CPU Mark (higher is better)
<u>Intel Celeron G1820 @ 2.70GHz</u>	1,667
<u>Intel Pentium G2100T @ 2.60GHz</u>	1,671
<u>AMD Opteron 2354</u>	1,672
<u>AMD Phenom II X4 B05e</u>	1,673
<u>Intel Core i3-550 @ 3.20GHz</u>	1,675
<u>Intel Core M-5Y70 @ 1.10GHz</u>	1,680
<u>AMD A4-7210 APU</u>	1,681
<u>AMD Athlon II X4 600e</u>	1,681
<u>AMD A6-6420B APU</u>	1,683
<u>AMD Phenom 9450e Quad-Core</u>	1,684
<u>AMD Phenom II X3 B73</u>	1,684
<u>AMD Phenom 9750B Quad-Core</u>	1,685
<u>AMD Phenom FX-5200 Quad-Core</u>	1,685
<u>AMD Phenom II X3 720</u>	1,688
<u>Intel Celeron J4005 @ 2.00GHz</u>	1,688
<u>Intel Core i5-4210Y @ 1.50GHz</u>	1,689
<u>AMD Phenom 9550 Quad-Core</u>	1,691
<u>Intel Core2 Quad Q8200 @ 2.33GHz</u>	1,691
<u>Intel Core i3-3110M @ 2.40GHz</u>	1,694
<u>Intel Core i3-4030Y @ 1.60GHz</u>	1,694
<u>Intel Core M-5Y10 @ 0.80GHz</u>	1,695
<u>Intel Core i7-2617M @ 1.50GHz</u>	1,696
<u>Intel Core i7-620M @ 2.67GHz</u>	1,699
<u>Intel Core i7-2637M @ 1.70GHz</u>	1,700
<u>AMD Opteron 2220</u>	1,702
<u>AMD Athlon II X4 615e</u>	1,711
<u>Intel Core i3-2120T @ 2.60GHz</u>	1,711
<u>Intel Core i3-4010U @ 1.70GHz</u>	1,711
<u>AMD A6-8550</u>	1,719
<u>AMD A10 PRO-7350B APU</u>	1,720
<u>AMD Athlon II X3 440</u>	1,722
<u>AMD Phenom X2 Dual-Core GE-6060</u>	1,722
<u>Intel Celeron G1820T @ 2.40GHz</u>	1,730
<u>AMD Athlon II X3 455</u>	1,736
<u>AMD Athlon X4 620</u>	1,739
<u>AMD A10-4655M APU</u>	1,742

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E5345 @ 2.33GHz</u>	1,748
<u>Intel Core2 Quad Q6600 @ 2.40GHz</u>	1,749
<u>Intel Xeon L5408 @ 2.13GHz</u>	1,749
<u>AMD Athlon X3 435</u>	1,750
<u>AMD Phenom FX-5000 Quad-Core</u>	1,752
<u>AMD A6-6400B APU</u>	1,754
<u>Intel Core i5-520M @ 2.40GHz</u>	1,756
<u>Intel Xeon X3210 @ 2.13GHz</u>	1,756
<u>AMD Phenom II X3 B75</u>	1,757
<u>AMD Athlon II X4 605e</u>	1,758
<u>AMD Phenom 9600B Quad-Core</u>	1,758
<u>AMD A8-4500M APU</u>	1,760
<u>Intel Pentium G3220T @ 2.60GHz</u>	1,762
<u>Intel Core i7-610E @ 2.53GHz</u>	1,766
<u>Intel Core i5-2510E @ 2.50GHz</u>	1,770
<u>Intel Core i3-560 @ 3.33GHz</u>	1,778
<u>AMD PRO A8-8600B</u>	1,781
<u>AMD A6-7310 APU</u>	1,784
<u>Intel Xeon E5410 @ 2.33GHz</u>	1,786
<u>AMD Opteron 2373 EE</u>	1,791
<u>Intel Core i3-4158U @ 2.00GHz</u>	1,792
<u>Intel Core i7-740QM @ 1.73GHz</u>	1,792
<u>Intel Xeon E5506 @ 2.13GHz</u>	1,792
<u>AMD Opteron 1354</u>	1,796
<u>AMD A6-3600 APU</u>	1,798
<u>AMD PRO A6-9500E</u>	1,798
<u>AMD A10-5745M APU</u>	1,805
<u>Intel Xeon E5507 @ 2.27GHz</u>	1,807
<u>Intel Celeron N3450 @ 1.10GHz</u>	1,812
<u>AMD A6-3620 APU</u>	1,815
<u>AMD A8-5545M APU</u>	1,819
<u>Intel Celeron N4020 @ 1.10GHz</u>	1,820
<u>Intel Core i5-3439Y @ 1.50GHz</u>	1,822
<u>Intel Celeron J4025 @ 2.00GHz</u>	1,825
<u>Intel Core i3-2100T @ 2.50GHz</u>	1,830
<u>Intel Core i3-2330E @ 2.20GHz</u>	1,833

CPU Name	CPU Mark (higher is better)
<u>Intel Core m3-6Y30 @ 0.90GHz</u>	1,837
<u>AMD Phenom 9750 Quad-Core</u>	1,838
<u>AMD A8-6410 APU</u>	1,843
<u>Intel Xeon L5335 @ 2.00GHz</u>	1,843
<u>AMD Opteron 2222</u>	1,844
<u>Intel Pentium G3240T @ 2.70GHz</u>	1,845
<u>AMD Phenom II X3 740</u>	1,846
<u>Intel Celeron G1840 @ 2.80GHz</u>	1,848
<u>Intel Pentium G3430 @ 3.30GHz</u>	1,848
<u>Intel Core i3-2100 @ 3.10GHz</u>	1,851
<u>AMD GX-424CC SOC</u>	1,853
<u>AMD PRO A4-8350B</u>	1,857
<u>AMD Phenom II X4 905e</u>	1,858
<u>Intel Core i7-3555LE @ 2.50GHz</u>	1,858
<u>Intel Core i3-3120M @ 2.50GHz</u>	1,859
<u>Intel Xeon X3323 @ 2.50GHz</u>	1,864
<u>AMD Athlon II X4 655</u>	1,867
<u>Intel Core i7-820QM @ 1.73GHz</u>	1,867
<u>Intel Atom E3940 @ 1.60GHz</u>	1,868
<u>AMD A6-7470K</u>	1,869
<u>AMD FX-7500 APU</u>	1,870
<u>AMD Opteron 3250 HE</u>	1,876
<u>Intel Core M-5Y10a @ 0.80GHz</u>	1,877
<u>AMD Phenom II X4 805</u>	1,878
<u>Intel Core i3-4000M @ 2.40GHz</u>	1,878
<u>AMD A10-4657M APU</u>	1,879
<u>Intel Core i3-4025U @ 1.90GHz</u>	1,887
<u>AMD Opteron 1356</u>	1,888
<u>Intel Core2 Quad Q9450 @ 2.66GHz</u>	1,888
<u>Intel Pentium G2120 @ 3.10GHz</u>	1,888
<u>Intel Core i5-2515E @ 2.50GHz</u>	1,892
<u>AMD A8-3800 APU</u>	1,893
<u>AMD R-464L APU</u>	1,893
<u>Intel Core i5-2415M @ 2.30GHz</u>	1,893
<u>Intel Core i3-4030U @ 1.90GHz</u>	1,895
<u>Intel Core i5-4302Y @ 1.60GHz</u>	1,896

CPU Name	CPU Mark (higher is better)
<u>AMD Athlon II X4 640</u>	1,901
<u>AMD Athlon II X4 620</u>	1,904
<u>Intel Xeon L5410 @ 2.33GHz</u>	1,907
<u>AMD Phenom II X4 810</u>	1,911
<u>Intel Pentium G3240 @ 3.10GHz</u>	1,913
<u>AMD A8-7410 APU</u>	1,914
<u>Intel Xeon E5420 @ 2.50GHz</u>	1,914
<u>AMD PRO A6-8570E</u>	1,916
<u>AMD Phenom 9850 Quad-Core</u>	1,919
<u>AMD Opteron 2356</u>	1,921
<u>AMD Phenom II X3 B77</u>	1,928
<u>Intel Core i3-4110U @ 1.90GHz</u>	1,933
<u>Intel Core i5-4230U @ 1.90GHz</u>	1,933
<u>AMD Phenom II X4 910e</u>	1,934
<u>Intel Core i5-2430M @ 2.40GHz</u>	1,934
<u>Intel Core i5-4422E @ 1.80GHz</u>	1,936
<u>Intel Core i7-2655LE @ 2.20GHz</u>	1,938
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	1,938
<u>AMD Opteron 3320 EE</u>	1,939
<u>Intel Core i5-560M @ 2.67GHz</u>	1,945
<u>Intel Core i5-580M @ 2.67GHz</u>	1,949
<u>AMD A8-5557M APU</u>	1,950
<u>Intel Core m7-6Y75 @ 1.20GHz</u>	1,951
<u>AMD PRO A6-8550B</u>	1,952
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	1,952
<u>Intel Atom E3900 @ 1.60GHz</u>	1,953
<u>AMD Opteron X2170 APU</u>	1,959
<u>Intel Core i5-2410M @ 2.30GHz</u>	1,959
<u>Intel Core i5-655K @ 3.20GHz</u>	1,959
<u>AMD A6-9500E</u>	1,960
<u>Intel Pentium G2130 @ 3.20GHz</u>	1,961
<u>AMD Athlon II X4 645</u>	1,968
<u>AMD Opteron 1381</u>	1,968
<u>Intel Pentium 1403 @ 2.60GHz</u>	1,969
<u>AMD A8-6500T APU</u>	1,971
<u>Intel Core i5-2450M @ 2.50GHz</u>	1,976

CPU Name	CPU Mark (higher is better)
<u>Intel Pentium G3220 @ 3.00GHz</u>	1,970
<u>AMD Phenom 9950 Quad-Core</u>	1,977
<u>AMD Phenom X4 Quad-Core GP-9730</u>	1,977
<u>AMD Phenom II X4 B93</u>	1,980
<u>Intel Celeron G3900TE @ 2.30GHz</u>	1,983
<u>Intel Pentium G3420 @ 3.20GHz</u>	1,991
<u>Intel Core2 Quad Q9505 @ 2.83GHz</u>	1,994
<u>Intel Xeon X3220 @ 2.40GHz</u>	1,998
<u>Intel Pentium G3250T @ 2.80GHz</u>	1,999
<u>Intel Xeon X3330 @ 2.66GHz</u>	1,999
<u>Intel Core i5-3317U @ 1.70GHz</u>	2,001
<u>AMD PRO A6-9500</u>	2,002
<u>AMD Phenom II X4 910</u>	2,004
<u>Intel Celeron G1850 @ 2.90GHz</u>	2,011
<u>Intel Xeon L5420 @ 2.50GHz</u>	2,011
<u>Intel Core M-5Y31 @ 0.90GHz</u>	2,012
<u>AMD Phenom II X4 B45</u>	2,013
<u>Intel Core i3-5015U @ 2.10GHz</u>	2,013
<u>Intel Core i7-640M @ 2.80GHz</u>	2,016
<u>AMD A8-5550M APU</u>	2,021
<u>AMD Phenom II X4 830</u>	2,022
<u>Intel Pentium G3260T @ 2.90GHz</u>	2,023
<u>AMD A6-7480</u>	2,024
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	2,028
<u>AMD A10-7400P</u>	2,030
<u>Intel Core2 Quad Q8400 @ 2.66GHz</u>	2,030
<u>Intel Core i3-4120U @ 2.00GHz</u>	2,032
<u>Intel Core i7-840QM @ 1.87GHz</u>	2,036
<u>Intel Xeon E5603 @ 1.60GHz</u>	2,038
<u>Intel Atom T5700 @ 1.70GHz</u>	2,039
<u>Intel Core i3-2120 @ 3.30GHz</u>	2,039
<u>Intel Core i3-2102 @ 3.10GHz</u>	2,040
<u>AMD Phenom II X4 840</u>	2,041
<u>Intel Celeron 4305UE @ 2.00GHz</u>	2,041
<u>Intel Core2 Extreme Q9200 @ 2.40GHz</u>	2,041
<u>AMD Opteron 2378</u>	2,042

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon X3333 @ 2.00GHz</u>	2,045
<u>AMD A8-3820 APU</u>	2,047
<u>Intel Pentium G3450T @ 2.90GHz</u>	2,047
<u>Intel Atom C2550 @ 2.40GHz</u>	2,048
<u>Intel Celeron G3900E @ 2.40GHz</u>	2,051
<u>AMD A6-3650 APU</u>	2,052
<u>AMD Athlon II X4 630</u>	2,052
<u>AMD A10-5757M APU</u>	2,060
<u>Intel Pentium G2140 @ 3.30GHz</u>	2,066
<u>Intel Xeon X3320 @ 2.50GHz</u>	2,068
<u>AMD Phenom II X4 B25</u>	2,070
<u>AMD Phenom II X4 820</u>	2,073
<u>AMD Athlon II X4 641 Quad-Core</u>	2,074
<u>Intel Pentium G3420T @ 2.70GHz</u>	2,075
<u>Intel Core M-5Y10c @ 0.80GHz</u>	2,077
<u>AMD Opteron 3260 HE</u>	2,078
<u>Quad-Core AMD Opteron 1385</u>	2,079
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	2,083
<u>AMD A6-9500</u>	2,085
<u>Intel Atom C2538 @ 2.40GHz</u>	2,086
<u>Intel Pentium G3250 @ 3.20GHz</u>	2,089
<u>AMD Phenom II X4 850</u>	2,092
<u>Intel Celeron G3930 @ 2.90GHz</u>	2,092
<u>AMD PRO A6-8570</u>	2,095
<u>AMD A10-4600M APU</u>	2,097
<u>AMD Phenom II X4 920</u>	2,102
<u>Intel Xeon L5430 @ 2.66GHz</u>	2,102
<u>Intel Xeon X3360 @ 2.83GHz</u>	2,104
<u>Intel Core i3-3225 @ 3.30GHz</u>	2,108
<u>AMD A8-7200P</u>	2,109
<u>AMD Athlon II X4 631 Quad-Core</u>	2,111
<u>Intel Core i7-3517UE @ 1.70GHz</u>	2,115
<u>AMD A10-5750M APU</u>	2,119
<u>Intel Pentium 1403 v2 @ 2.60GHz</u>	2,119
<u>Intel Atom E3950 @ 1.60GHz</u>	2,120
<u>Intel Celeron G3930T @ 2.70GHz</u>	2,120

CPU Name	CPU Mark (higher is better)
<u>Intel Core2 Quad Q9500 @ 2.83GHz</u>	2,120
<u>Intel Core i3-2105 @ 3.10GHz</u>	2,132
<u>AMD Phenom II X4 940</u>	2,134
<u>Intel Xeon E5462 @ 2.80GHz</u>	2,134
<u>Intel Core i3-5005U @ 2.00GHz</u>	2,135
<u>Intel Core i7-920XM @ 2.00GHz</u>	2,135
<u>Intel Pentium G3440T @ 2.80GHz</u>	2,139
<u>Intel Core i5-2560M @ 2.70GHz</u>	2,142
<u>Intel Pentium G3260 @ 3.30GHz</u>	2,142
<u>Intel Xeon X3353 @ 2.66GHz</u>	2,142
<u>AMD A8-8600P</u>	2,145
<u>Intel Core i7-940XM @ 2.13GHz</u>	2,153
<u>Intel Pentium 4405U @ 2.10GHz</u>	2,155
<u>AMD Athlon X4 750 Quad Core</u>	2,156
<u>AMD Phenom 9850B Quad-Core</u>	2,157
<u>AMD Phenom II X4 945</u>	2,157
<u>Intel Core i5-680 @ 3.60GHz</u>	2,160
<u>Intel Core i3-3130M @ 2.60GHz</u>	2,163
<u>Intel Pentium N4200 @ 1.10GHz</u>	2,168
<u>Intel Atom C2558 @ 2.40GHz</u>	2,169
<u>Intel Celeron G3920 @ 2.90GHz</u>	2,172
<u>Intel Core i3-2125 @ 3.30GHz</u>	2,173
<u>Intel Core2 Extreme Q6850 @ 3.00GHz</u>	2,175
<u>Intel Core i7-3517U @ 1.90GHz</u>	2,177
<u>Intel Core i5-661 @ 3.33GHz</u>	2,178
<u>AMD Athlon II X4 640</u>	2,179
<u>AMD Phenom II X4 925</u>	2,180
<u>Intel Pentium 4415U @ 2.30GHz</u>	2,182
<u>AMD A6-3670 APU</u>	2,183
<u>AMD Athlon II X4 635</u>	2,185
<u>Intel Xeon X3230 @ 2.66GHz</u>	2,185
<u>AMD A10-8700P</u>	2,186
<u>Intel Celeron J3455 @ 1.50GHz</u>	2,188
<u>Intel Core i5-5250U @ 1.60GHz</u>	2,191
<u>AMD Phenom II X4 B40</u>	2,192
<u>Intel Xeon E5472 @ 3.00GHz</u>	2,195

CPU Name	CPU Mark (higher is better)
<u>Intel Core i3-5010U @ 2.10GHz</u>	2,207
<u>Intel Pentium G4400TE @ 2.40GHz</u>	2,208
<u>Intel Core i5-670 @ 3.47GHz</u>	2,212
<u>Intel Xeon E5430 @ 2.66GHz</u>	2,212
<u>Intel Xeon L3360 @ 2.83GHz</u>	2,215
<u>Intel Celeron G3900T @ 2.60GHz</u>	2,217
<u>Intel Core i3-5020U @ 2.20GHz</u>	2,223
<u>Intel Core i7-4550U @ 1.50GHz</u>	2,223
<u>Intel Core i5-650 @ 3.20GHz</u>	2,227
<u>Intel Pentium G3440 @ 3.30GHz</u>	2,227
<u>Intel Core i5-2540M @ 2.60GHz</u>	2,240
<u>Intel Celeron G3900 @ 2.80GHz</u>	2,242
<u>AMD Phenom II X4 B95</u>	2,249
<u>Intel Xeon X3430 @ 2.40GHz</u>	2,252
<u>Intel Core m3-7Y32 @ 1.10GHz</u>	2,258
<u>Intel Celeron G3930TE @ 2.70GHz</u>	2,259
<u>Intel Core i3-3240T @ 2.90GHz</u>	2,263
<u>AMD Phenom II X4 B50</u>	2,265
<u>AMD A8-3850 APU</u>	2,266
<u>Intel Xeon X3363 @ 2.83GHz</u>	2,271
<u>AMD Opteron 2384</u>	2,272
<u>AMD Phenom II X4 B55</u>	2,273
<u>Intel Xeon X5472 @ 3.00GHz</u>	2,275
<u>Intel Core2 Quad Q9550 @ 2.83GHz</u>	2,276
<u>Quad-Core AMD Opteron 1389</u>	2,277
<u>Intel Core i3-3220 @ 3.30GHz</u>	2,278
<u>Intel Core i5-3337U @ 1.80GHz</u>	2,281
<u>Intel Core i5-2390T @ 2.70GHz</u>	2,287
<u>AMD Athlon II X4 555</u>	2,290
<u>Intel Core i5-2520M @ 2.50GHz</u>	2,290
<u>Intel Core i7-2640M @ 2.80GHz</u>	2,290
<u>Intel Pentium 4417U @ 2.30GHz</u>	2,291
<u>AMD Athlon II X4 650</u>	2,293
<u>AMD Phenom II X4 B35</u>	2,300
<u>AMD PRO A12-8800B</u>	2,300
<u>Intel Core i5-4200U @ 1.60GHz</u>	2,300

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E3440 @ 2.83GHz</u>	2,311
<u>Intel Pentium J4205 @ 1.50GHz</u>	2,314
<u>Intel Core i3-3220T @ 2.80GHz</u>	2,326
<u>Intel Core i5-3427U @ 1.80GHz</u>	2,331
<u>Intel Core i3-6006U @ 2.00GHz</u>	2,332
<u>AMD Phenom II X6 1075T</u>	2,333
<u>Intel Core i3-3240 @ 3.40GHz</u>	2,343
<u>Intel Xeon X3380 @ 3.16GHz</u>	2,343
<u>AMD PRO A10-8700B</u>	2,350
<u>AMD Phenom II X4 B97</u>	2,351
<u>Intel Core m3-7Y30 @ 1.00GHz</u>	2,353
<u>AMD A8-3870K APU</u>	2,356
<u>AMD Phenom II X4 977</u>	2,356
<u>Intel Core i5-750 @ 2.67GHz</u>	2,358
<u>Intel Core i5-4310U @ 2.00GHz</u>	2,363
<u>Intel Core i7-2620M @ 2.70GHz</u>	2,363
<u>AMD Phenom II X4 840T</u>	2,367
<u>AMD Phenom II X4 B70</u>	2,367
<u>Intel Core i3-2130 @ 3.40GHz</u>	2,369
<u>Intel Celeron G4900T @ 2.90GHz</u>	2,372
<u>Intel Celeron G3950 @ 3.00GHz</u>	2,373
<u>Intel Core i5-4250U @ 1.30GHz</u>	2,373
<u>AMD Athlon II X4 651 Quad-Core</u>	2,374
<u>Intel Xeon L3426 @ 1.87GHz</u>	2,375
<u>Intel Xeon X5450 @ 3.00GHz</u>	2,375
<u>Intel Pentium 5405U @ 2.30GHz</u>	2,383
<u>Intel Core2 Extreme X9750 @ 3.16GHz</u>	2,384
<u>Intel Celeron G4900 @ 3.10GHz</u>	2,388
<u>Intel Pentium Silver N5030 @ 1.10GHz</u>	2,393
<u>Intel Core i5-4210U @ 1.70GHz</u>	2,395
<u>AMD Athlon II X4 553</u>	2,397
<u>AMD Phenom II X4 B60</u>	2,400
<u>Intel Core i5-4350U @ 1.40GHz</u>	2,405
<u>Intel Core i5-760 @ 2.80GHz</u>	2,405
<u>Intel Core i7-3667U @ 2.00GHz</u>	2,409
<u>Intel Core2 Quad Q9650 @ 3.00GHz</u>	2,409

CPU Name	CPU Mark (higher is better)
<u>AMD Phenom II X4 975</u>	2,414
<u>Intel Xeon X3370 @ 3.00GHz</u>	2,414
<u>Intel Xeon X5365 @ 3.00GHz</u>	2,414
<u>AMD A10-6700T APU</u>	2,415
<u>Intel Core i5-660 @ 3.33GHz</u>	2,421
<u>Intel Core i5-3437U @ 1.90GHz</u>	2,429
<u>Intel Core2 Extreme Q6800 @ 2.93GHz</u>	2,431
<u>Intel Pentium G3450 @ 3.40GHz</u>	2,432
<u>Intel Core i3-7020U @ 2.30GHz</u>	2,434
<u>AMD Phenom II X4 960T</u>	2,435
<u>Intel Core i3-6102E @ 1.90GHz</u>	2,446
<u>AMD A8-5500 APU</u>	2,448
<u>Intel Pentium G4400T @ 2.90GHz</u>	2,448
<u>Intel Atom C3538 @ 2.10GHz</u>	2,455
<u>Intel Xeon X3350 @ 2.66GHz</u>	2,456
<u>AMD FX-7600P</u>	2,457
<u>Intel Core i3-2140 @ 3.50GHz</u>	2,470
<u>Intel Core i3-4100M @ 2.50GHz</u>	2,486
<u>AMD A12-9700P</u>	2,487
<u>Intel Xeon E5520 @ 2.27GHz</u>	2,494
<u>Intel Celeron G4920 @ 3.20GHz</u>	2,495
<u>Intel Xeon E5450 @ 3.00GHz</u>	2,496
<u>AMD A10-9620P</u>	2,497
<u>Intel Core i3-3250 @ 3.50GHz</u>	2,498
<u>Intel Xeon E5540 @ 2.53GHz</u>	2,501
<u>Intel Core i3-7102E @ 2.10GHz</u>	2,504
<u>AMD PRO A10-8730B</u>	2,505
<u>Intel Core i5-3210M @ 2.50GHz</u>	2,505
<u>AMD Phenom II X4 B99</u>	2,508
<u>Intel Pentium G3258 @ 3.20GHz</u>	2,510
<u>Intel Core2 Extreme X9770 @ 3.20GHz</u>	2,519
<u>AMD Phenom II X4 975</u>	2,521
<u>AMD Athlon II X4 559</u>	2,523
<u>Intel Xeon L5520 @ 2.27GHz</u>	2,523
<u>Intel Core i5-7Y57 @ 1.20GHz</u>	2,526
<u>Intel Core i7-4500U @ 1.80GHz</u>	2,526

CPU Name	CPU Mark (higher is better)
<u>Intel Core m5-6Y54 @ 1.10GHz</u>	2,532
<u>Intel Xeon X5482 @ 3.20GHz</u>	2,536
<u>AMD Phenom II X4 965</u>	2,537
<u>Intel Atom C3558 @ 2.20GHz</u>	2,539
<u>Intel Core i3-4330TE @ 2.40GHz</u>	2,539
<u>Intel Pentium G3470 @ 3.60GHz</u>	2,546
<u>AMD PRO A12-8830B</u>	2,547
<u>Intel Core m5-6Y57 @ 1.10GHz</u>	2,547
<u>Intel Core i5-5200U @ 2.20GHz</u>	2,548
<u>Intel Core i7-4610Y @ 1.70GHz</u>	2,551
<u>AMD Phenom II X4 B65</u>	2,553
<u>Intel Celeron N4120 @ 1.10GHz</u>	2,555
<u>Intel Core i7-920 @ 2.67GHz</u>	2,556
<u>Intel Core i5-4330M @ 2.80GHz</u>	2,560
<u>Intel Core i7-4650U @ 1.70GHz</u>	2,560
<u>Intel Core i3-5157U @ 2.50GHz</u>	2,575
<u>Intel Pentium G4500T @ 3.00GHz</u>	2,582
<u>Intel Xeon X5460 @ 3.16GHz</u>	2,586
<u>Intel Xeon X5470 @ 3.33GHz</u>	2,589
<u>Intel Xeon L5530 @ 2.40GHz</u>	2,590
<u>Intel Core i5-3610ME @ 2.70GHz</u>	2,592
<u>Intel Core i7-7Y75 @ 1.30GHz</u>	2,598
<u>Intel Xeon E5-2609 @ 2.40GHz</u>	2,600
<u>AMD RX-427BB</u>	2,608
<u>Intel Core i5-5350U @ 1.80GHz</u>	2,608
<u>Intel Core i7-3687U @ 2.10GHz</u>	2,611
<u>Intel Core i7-5550U @ 2.00GHz</u>	2,613
<u>Intel Core i5-3230M @ 2.60GHz</u>	2,616
<u>Intel Core i3-3250T @ 3.00GHz</u>	2,618
<u>Intel Core i3-4110M @ 2.60GHz</u>	2,620
<u>Intel Xeon E5-2403 @ 1.80GHz</u>	2,620
<u>Intel Xeon X3450 @ 2.67GHz</u>	2,622
<u>Intel Core i5-3340M @ 2.70GHz</u>	2,627
<u>Intel Core i7-3537U @ 2.00GHz</u>	2,628
<u>AMD A10-9600P</u>	2,631
<u>Intel Core i5-4200M @ 2.50GHz</u>	2,637

CPU Name	CPU Mark (higher is better)
<u>Intel Core i3-5210 @ 3.20GHz</u>	2,040
<u>Intel Core i7-8500Y @ 1.50GHz</u>	2,645
<u>Intel Core i5-4300U @ 1.90GHz</u>	2,647
<u>AMD FX-9800P</u>	2,650
<u>Intel Xeon E3-1220L V2 @ 2.30GHz</u>	2,655
<u>Intel Xeon E5530 @ 2.40GHz</u>	2,657
<u>AMD Phenom II X4 980</u>	2,658
<u>AMD Phenom II X4 970</u>	2,660
<u>Intel Core i5-3320M @ 2.60GHz</u>	2,664
<u>AMD PRO A12-9800B</u>	2,665
<u>Intel Celeron G4930 @ 3.20GHz</u>	2,673
<u>Intel Core i7-4600U @ 2.10GHz</u>	2,686
<u>Intel Pentium G4400 @ 3.30GHz</u>	2,689
<u>AMD A8-7650K</u>	2,692
<u>AMD PRO A8-9600B</u>	2,692
<u>Intel Core i5-2500T @ 2.30GHz</u>	2,695
<u>AMD FX-4100 Quad-Core</u>	2,699
<u>Intel Core i3-7100U @ 2.40GHz</u>	2,701
<u>Intel Core2 Extreme X9775 @ 3.20GHz</u>	2,702
<u>Intel Xeon X3440 @ 2.53GHz</u>	2,702
<u>AMD A8-5500B APU</u>	2,703
<u>Intel Core i7-5500U @ 2.40GHz</u>	2,706
<u>Intel Xeon E5-2603 v2 @ 1.80GHz</u>	2,710
<u>Intel Celeron N4100 @ 1.10GHz</u>	2,716
<u>AMD A6-9400</u>	2,717
<u>AMD A12-9720P</u>	2,718
<u>Intel Core i7-860S @ 2.53GHz</u>	2,719
<u>Intel Xeon E5606 @ 2.13GHz</u>	2,721
<u>Intel Core i5-4402E @ 1.60GHz</u>	2,723
<u>Intel Core i5-4210H @ 2.90GHz</u>	2,732
<u>Intel Core i5-4308U @ 2.80GHz</u>	2,734
<u>AMD Athlon X4 740 Quad Core</u>	2,746
<u>Intel Xeon X5492 @ 3.40GHz</u>	2,746
<u>Intel Core 860 @ 2.80GHz</u>	2,747
<u>AMD A8 PRO-7600B APU</u>	2,756
<u>AMD A10-5700 APU</u>	2,758

CPU Name	CPU Mark (higher is better)
<u>AMD A10-6800B APU</u>	2,701
<u>Intel Core i5-7Y54 @ 1.20GHz</u>	2,761
<u>Intel Xeon E5-2603 @ 1.80GHz</u>	2,762
<u>Intel Core i7-870S @ 2.67GHz</u>	2,779
<u>Intel Core i7-4510U @ 2.00GHz</u>	2,785
<u>AMD FX-7600P APU</u>	2,792
<u>AMD PRO A10-9700B</u>	2,796
<u>Intel Core i3-6100U @ 2.30GHz</u>	2,805
<u>AMD FirePro A320 APU</u>	2,813
<u>Intel Core i5-24050S @ 2.50GHz</u>	2,814
<u>Intel Core i5-8210Y @ 1.60GHz</u>	2,815
<u>Intel Celeron J4115 @ 1.80GHz</u>	2,816
<u>AMD Athlon X4 750K Quad Core</u>	2,824
<u>Intel Core i5-6267U @ 2.90GHz</u>	2,825
<u>Intel Core i5-4288U @ 2.60GHz</u>	2,835
<u>AMD Athlon X4 830</u>	2,837
<u>Intel Core i5-4258U @ 2.40GHz</u>	2,845
<u>AMD FX-4130 Quad-Core</u>	2,846
<u>Intel Core i5-5300U @ 2.30GHz</u>	2,846
<u>Intel Xeon X5560 @ 2.80GHz</u>	2,852
<u>AMD Opteron 3350 HE</u>	2,857
<u>Intel Xeon E5607 @ 2.27GHz</u>	2,860
<u>Intel Core i5-8200Y @ 1.30GHz</u>	2,870
<u>AMD A8-6500 APU</u>	2,871
<u>Intel Core i3-6157U @ 2.40GHz</u>	2,878
<u>Intel Xeon E5-2403 v2 @ 1.80GHz</u>	2,881
<u>Intel Xeon W3520 @ 2.67GHz</u>	2,881
<u>Intel Core i7-2635QM @ 2.00GHz</u>	2,883
<u>Intel Xeon E5-2407 @ 2.20GHz</u>	2,883
<u>AMD FX-770K Quad-Core</u>	2,888
<u>Intel Core i7-940 @ 2.93GHz</u>	2,905
<u>AMD A10-5800K APU</u>	2,909
<u>Intel Core i3-3245 @ 3.40GHz</u>	2,911
<u>AMD A10-7800 APU</u>	2,914
<u>Intel Core i7-860 @ 2.80GHz</u>	2,914
<u>AMD A10 PRO-7800B APU</u>	2,920

CPU Name	CPU Mark (higher is better)
<u>Six-Core AMD Opteron 2419 EE</u>	2,920
<u>AMD FX-8800P</u>	2,927
<u>Intel Core i3-4150T @ 3.00GHz</u>	2,932
<u>Intel Pentium G4500 @ 3.50GHz</u>	2,940
<u>Intel Core i3-4130T @ 2.90GHz</u>	2,941
<u>Intel Pentium G4560T @ 2.90GHz</u>	2,943
<u>AMD A8-5600K APU</u>	2,944
<u>AMD Opteron X3418 APU</u>	2,956
<u>Intel Core i3-7130U @ 2.70GHz</u>	2,957
<u>AMD Phenom II X6 1035T</u>	2,964
<u>Intel Core i5-4300M @ 2.60GHz</u>	2,964
<u>Intel Core i7-870 @ 2.93GHz</u>	2,966
<u>AMD FX-4200 Quad-Core</u>	2,975
<u>Intel Xeon X6550 @ 2.00GHz</u>	2,978
<u>Intel Core i5-4210M @ 2.60GHz</u>	2,981
<u>Intel Core i7-930 @ 2.80GHz</u>	2,981
<u>Intel Core i5-3360M @ 2.80GHz</u>	2,983
<u>AMD Embedded R-Series RX-421BD</u>	2,984
<u>AMD Athlon X4 760K Quad Core</u>	2,986
<u>Intel Core i5-3470T @ 2.90GHz</u>	2,987
<u>Intel Core i7-3540M @ 3.00GHz</u>	2,987
<u>AMD A10-9630P</u>	2,990
<u>Intel Core i7-875K @ 2.93GHz</u>	2,994
<u>Intel Core i5-2405S @ 2.50GHz</u>	2,996
<u>AMD A12-9730P</u>	2,997
<u>AMD FX-670K Quad-Core</u>	2,998
<u>AMD A8-6500B APU</u>	3,012
<u>Intel Core i5-3380M @ 2.90GHz</u>	3,015
<u>AMD FX-4300 Quad-Core</u>	3,018
<u>Intel Core i5-6200U @ 2.30GHz</u>	3,019
<u>Intel Core i7-2675QM @ 2.20GHz</u>	3,026
<u>AMD FX-4150 Quad-Core</u>	3,028
<u>AMD A10-5800B APU</u>	3,034
<u>Intel Celeron J4125 @ 2.00GHz</u>	3,035
<u>Intel Core i7-3520M @ 2.90GHz</u>	3,040
<u>Intel Celeron J4105 @ 1.50GHz</u>	3,048

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon X5550 @ 2.67GHz</u>	3,049
<u>AMD FX-9830P</u>	3,057
<u>AMD A10 PRO-7850B APU</u>	3,059
<u>Intel Xeon W3530 @ 2.80GHz</u>	3,059
<u>Intel Core i7-5600U @ 2.60GHz</u>	3,062
<u>AMD Athlon X4 840</u>	3,065
<u>Intel Core i7-5650U @ 2.20GHz</u>	3,065
<u>Intel Core i7-965 @ 3.20GHz</u>	3,065
<u>AMD FX-B4150 Quad-Core</u>	3,067
<u>AMD Opteron 2427</u>	3,069
<u>AMD Opteron X3421 APU</u>	3,071
<u>AMD A10-9700E</u>	3,074
<u>Intel Core i7-4560U @ 1.60GHz</u>	3,077
<u>AMD Opteron 6274</u>	3,102
<u>Intel Core i7-960 @ 3.20GHz</u>	3,112
<u>AMD Phenom II X6 1045T</u>	3,116
<u>Intel Core i5-4278U @ 2.60GHz</u>	3,119
<u>Intel Xeon E7- 2830 @ 2.13GHz</u>	3,119
<u>Intel Core i7-950 @ 3.07GHz</u>	3,122
<u>Intel Core i3-4330T @ 3.00GHz</u>	3,136
<u>AMD A10-6790K APU</u>	3,139
<u>Intel Core i5-6198DU @ 2.30GHz</u>	3,139
<u>Intel Core i7-4558U @ 2.80GHz</u>	3,150
<u>Intel Xeon W3540 @ 2.93GHz</u>	3,156
<u>Intel Atom C2758 @ 2.40GHz</u>	3,163
<u>AMD A8-6600K APU</u>	3,164
<u>AMD A10-6700 APU</u>	3,167
<u>AMD Opteron 4162 EE</u>	3,167
<u>Intel Core i3-7167U @ 2.80GHz</u>	3,168
<u>AMD PRO A8-8650B</u>	3,169
<u>AMD A10-6800K APU</u>	3,172
<u>Intel Core i3-4160T @ 3.10GHz</u>	3,173
<u>Intel Xeon X3460 @ 2.80GHz</u>	3,179
<u>AMD PRO A8-8670E</u>	3,183
<u>Intel Core i5-4200H @ 2.80GHz</u>	3,185
<u>Intel Core i3-4170T @ 3.20GHz</u>	3,190

CPU Name	CPU Mark (higher is better)
<u>AMD PRO A12-9800E</u>	3,212
<u>Intel Core i3-4360T @ 3.20GHz</u>	3,213
<u>Intel Core i3-7100H @ 3.00GHz</u>	3,215
<u>AMD A10-9700</u>	3,224
<u>Intel Core i7-880 @ 3.07GHz</u>	3,225
<u>AMD Phenom II X6 1065T</u>	3,228
<u>AMD A8-7600 APU</u>	3,231
<u>Intel Core i7-2715QE @ 2.10GHz</u>	3,239
<u>AMD PRO A12-8870E</u>	3,241
<u>Intel Xeon E5-2637 @ 3.00GHz</u>	3,242
<u>AMD A10-7850K APU</u>	3,244
<u>AMD FX-4170 Quad-Core</u>	3,245
<u>Intel Core i3-4130 @ 3.40GHz</u>	3,248
<u>AMD Phenom II X6 1055T</u>	3,250
<u>Intel Core i5-5257U @ 2.70GHz</u>	3,250
<u>Intel Core i3-6100H @ 2.70GHz</u>	3,252
<u>Intel Xeon X3470 @ 2.93GHz</u>	3,263
<u>Intel Xeon W3550 @ 3.07GHz</u>	3,268
<u>Intel Core i5-2400S @ 2.50GHz</u>	3,270
<u>Intel Pentium G4600T @ 3.00GHz</u>	3,270
<u>Intel Xeon X5570 @ 2.93GHz</u>	3,276
<u>Intel Core i5-6260U @ 1.80GHz</u>	3,278
<u>AMD A10-7700K APU</u>	3,281
<u>Intel Core i7-7567U @ 3.50GHz</u>	3,285
<u>Intel Core i3-4350T @ 3.10GHz</u>	3,287
<u>Intel Core i5-5287U @ 2.90GHz</u>	3,291
<u>AMD PRO A10-8770E</u>	3,292
<u>Intel Core i3-4570T @ 2.90GHz</u>	3,293
<u>AMD Embedded R-Series RX-418GD Radeon R6</u>	3,294
<u>Intel Xeon L5609 @ 1.87GHz</u>	3,298
<u>AMD Opteron 4365 EE</u>	3,299
<u>Intel Core i5-4570T @ 2.90GHz</u>	3,300
<u>Intel Core i5-4400E @ 2.70GHz</u>	3,301
<u>Intel Xeon W3565 @ 3.20GHz</u>	3,301
<u>Intel Core i7-6500U @ 2.50GHz</u>	3,308
<u>Intel Pentium Gold G5500T @ 3.20GHz</u>	3,315

CPU Name	CPU Mark (higher is better)
<u>Intel Core i7-4770TE @ 2.30GHz</u>	3,320
<u>Intel Xeon E3-1265L @ 2.40GHz</u>	3,329
<u>AMD FX-4320</u>	3,336
<u>Intel Core i5-4340M @ 2.90GHz</u>	3,340
<u>Intel Core i3-6100E @ 2.70GHz</u>	3,342
<u>Intel Atom C2750 @ 2.41GHz</u>	3,345
<u>Intel Core i5-7267U @ 3.10GHz</u>	3,345
<u>Intel Xeon X3480 @ 3.07GHz</u>	3,349
<u>Intel Core i7-2630QM @ 2.00GHz</u>	3,353
<u>Intel Core i5-6300U @ 2.40GHz</u>	3,359
<u>AMD Athlon X4 860K</u>	3,361
<u>Intel Core i5-4310M @ 2.70GHz</u>	3,365
<u>AMD A10-8750</u>	3,372
<u>AMD PRO A10-9700E</u>	3,379
<u>Intel Core i3-6100TE @ 2.70GHz</u>	3,381
<u>Intel Core i7-4600M @ 2.90GHz</u>	3,386
<u>Intel Core i5-2300 @ 2.80GHz</u>	3,388
<u>Intel Pentium Silver J5005 @ 1.50GHz</u>	3,388
<u>AMD FX-870K Quad Core</u>	3,396
<u>Intel Core i7-4578U @ 3.00GHz</u>	3,399
<u>AMD A12-9800E</u>	3,401
<u>Intel Core i5-2500S @ 2.70GHz</u>	3,403
<u>AMD A8-9600</u>	3,406
<u>Intel Core i3-4370T @ 3.30GHz</u>	3,418
<u>AMD A10-7860K</u>	3,424
<u>Intel Core i5-6360U @ 2.00GHz</u>	3,426
<u>Intel Core i5-7200U @ 2.50GHz</u>	3,428
<u>AMD Phenom II X6 1405T</u>	3,434
<u>Intel Core i7-6498DU @ 2.50GHz</u>	3,440
<u>Intel Xeon W3570 @ 3.20GHz</u>	3,448
<u>Intel Core i5-2380P @ 3.10GHz</u>	3,450
<u>Intel Core i7-4610M @ 3.00GHz</u>	3,450
<u>AMD A8-7670K</u>	3,457
<u>Intel Pentium Silver J5040 @ 2.00GHz</u>	3,459
<u>Intel Core i7-5557U @ 3.10GHz</u>	3,460
<u>Intel Xeon E3-1260L @ 2.40GHz</u>	3,466

CPU Name	CPU Mark (higher is better)
<u>AMD A8-8600U</u>	3,400
<u>Intel Core i5-2320 @ 3.00GHz</u>	3,486
<u>Intel Core i3-4160 @ 3.60GHz</u>	3,496
<u>Intel Core i7-7500U @ 2.70GHz</u>	3,498
<u>Intel Xeon L5630 @ 2.13GHz</u>	3,501
<u>AMD FX-4330</u>	3,506
<u>Intel Core i5-6287U @ 3.10GHz</u>	3,529
<u>AMD Athlon X4 950</u>	3,530
<u>Intel Core i5-3470S @ 2.90GHz</u>	3,532
<u>Intel Core i7-6560U @ 2.20GHz</u>	3,538
<u>Intel Xeon W5580 @ 3.20GHz</u>	3,544
<u>AMD FX-4350 Quad-Core</u>	3,547
<u>AMD PRO A8-9600</u>	3,563
<u>AMD A8-7680</u>	3,573
<u>Intel Xeon E3-1225 @ 3.10GHz</u>	3,574
<u>Intel Xeon W3580 @ 3.33GHz</u>	3,581
<u>AMD A10-7870K</u>	3,582
<u>Intel Core i3-4350 @ 3.60GHz</u>	3,587
<u>Intel Core i7-975 @ 3.33GHz</u>	3,587
<u>Intel Core i5-2450P @ 3.20GHz</u>	3,595
<u>AMD FX-8100 Eight-Core</u>	3,598
<u>Intel Xeon E5-4603 @ 2.00GHz</u>	3,606
<u>Intel Core i5-4460T @ 1.90GHz</u>	3,607
<u>Intel Core i3-4170 @ 3.70GHz</u>	3,610
<u>AMD Phenom II X6 1090T</u>	3,619
<u>Intel Xeon W5590 @ 3.33GHz</u>	3,624
<u>Intel Core i7-6600U @ 2.60GHz</u>	3,625
<u>Intel Core i5-2310 @ 2.90GHz</u>	3,628
<u>Intel Core i5-3330S @ 2.70GHz</u>	3,630
<u>Intel Xeon X5698 @ 4.40GHz</u>	3,632
<u>Intel Pentium G4560 @ 3.50GHz</u>	3,634
<u>AMD Ryzen Embedded V1202B</u>	3,641
<u>Intel Core i3-4330 @ 3.50GHz</u>	3,648
<u>AMD Athlon X4 845</u>	3,652
<u>Intel Core i3-8130U @ 2.20GHz</u>	3,654
<u>AMD Opteron 3280</u>	3,657

CPU Name	CPU Mark (higher is better)
<u>Intel Core i3-4300 @ 3.70GHz</u>	3,000
<u>AMD Opteron 6212</u>	3,682
<u>Intel Atom C2750 @ 2.40GHz</u>	3,694
<u>Intel Core i3-4340 @ 3.60GHz</u>	3,700
<u>AMD FX-6120 Six-Core</u>	3,701
<u>AMD Opteron 6234</u>	3,706
<u>Intel Pentium Gold G5400T @ 3.10GHz</u>	3,706
<u>Intel Core i5-3335S @ 2.70GHz</u>	3,709
<u>Intel Xeon E5-1603 @ 2.80GHz</u>	3,711
<u>Intel Core i7-7600U @ 2.80GHz</u>	3,723
<u>Intel Core i7-2710QE @ 2.10GHz</u>	3,724
<u>Intel Xeon E5-1607 @ 3.00GHz</u>	3,726
<u>AMD A10-7890K</u>	3,739
<u>Intel Xeon E5-2418L @ 2.00GHz</u>	3,741
<u>Intel Xeon E5-2407 v2 @ 2.40GHz</u>	3,742
<u>AMD Athlon X4 880K</u>	3,743
<u>AMD PRO A10-9700</u>	3,744
<u>Intel Core i5-7300U @ 2.60GHz</u>	3,745
<u>Intel Xeon E3-1220 @ 3.10GHz</u>	3,752
<u>AMD Opteron 4332 HE</u>	3,756
<u>AMD Athlon X4 870K</u>	3,762
<u>Intel Core i5-7287U @ 3.30GHz</u>	3,766
<u>AMD Phenom II X6 1100T</u>	3,769
<u>AMD A10-8850</u>	3,770
<u>AMD A12-9800</u>	3,771
<u>Intel Xeon E5-2609 v2 @ 2.50GHz</u>	3,777
<u>Intel Pentium Gold G5400 @ 3.70GHz</u>	3,785
<u>Intel Core i3-6100T @ 3.20GHz</u>	3,788
<u>Intel Xeon E5620 @ 2.40GHz</u>	3,794
<u>Intel Core i5-2400 @ 3.10GHz</u>	3,801
<u>AMD Opteron 8439 SE</u>	3,813
<u>Intel Pentium D1508 @ 2.20GHz</u>	3,813
<u>Intel Core i5-2550K @ 3.40GHz</u>	3,815
<u>Intel Core i7-2670QM @ 2.20GHz</u>	3,820
<u>Intel Core i5-3340S @ 2.80GHz</u>	3,830
<u>Intel Pentium G4600 @ 3.60GHz</u>	3,833

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon L7455 @ 2.13GHz</u>	3,830
<u>Intel Core i7-6650U @ 2.20GHz</u>	3,853
<u>Intel Core i7-7560U @ 2.40GHz</u>	3,859
<u>Intel Xeon E5630 @ 2.53GHz</u>	3,859
<u>Intel Core i7-2840QM @ 2.40GHz</u>	3,863
<u>AMD PRO A10-8770</u>	3,872
<u>AMD Ryzen 3 2200U</u>	3,904
<u>Intel Core i3-7100T @ 3.40GHz</u>	3,937
<u>Intel Core i3-7101TE @ 3.40GHz</u>	3,956
<u>Intel Pentium G4620 @ 3.70GHz</u>	3,956
<u>AMD FX-6130 Six-Core</u>	3,962
<u>Intel Pentium Gold G5500 @ 3.80GHz</u>	3,963
<u>AMD Ryzen 3 3200U</u>	3,970
<u>Intel Core i3-4370 @ 3.80GHz</u>	3,988
<u>Intel Core i5-3570S @ 3.10GHz</u>	3,989
<u>AMD FX-6300 Six-Core</u>	3,991
<u>AMD Opteron 4334</u>	3,993
<u>Intel Xeon E5-2603 v3 @ 1.60GHz</u>	3,997
<u>Intel Core i3-8145U @ 2.10GHz</u>	3,999
<u>Intel Core i7-2760QM @ 2.40GHz</u>	4,000
<u>Intel Core i7-2920XM @ 2.50GHz</u>	4,011
<u>Intel Pentium Gold G5420 @ 3.80GHz</u>	4,019
<u>AMD FX-6200 Six-Core</u>	4,020
<u>AMD PRO A10-8850B</u>	4,020
<u>Intel Core i5-7260U @ 2.20GHz</u>	4,033
<u>Intel Core i7-985 @ 3.47GHz</u>	4,035
<u>AMD Athlon PRO 200GE</u>	4,036
<u>Intel Core i5-2500K @ 3.30GHz</u>	4,050
<u>Intel Core i5-3570T @ 2.30GHz</u>	4,073
<u>Intel Core i5-3450S @ 2.80GHz</u>	4,078
<u>AMD PRO A12-8870</u>	4,098
<u>AMD Opteron 4280</u>	4,099
<u>Intel Core i5-3350P @ 3.10GHz</u>	4,103
<u>Intel Core i3-6098P @ 3.60GHz</u>	4,117
<u>Intel Core i3-7300T @ 3.50GHz</u>	4,118
<u>Intel Core i7-2720QM @ 2.20GHz</u>	4,124

CPU Name	CPU Mark (higher is better)
<u>Intel Pentium Gold G5420T @ 3.20GHz</u>	4,140
<u>Intel Core i7-6567U @ 3.30GHz</u>	4,157
<u>AMD Opteron 3365</u>	4,160
<u>Intel Core i3-6300T @ 3.30GHz</u>	4,162
<u>Intel Core i5-4590T @ 2.00GHz</u>	4,170
<u>Intel Pentium Gold G5600 @ 3.90GHz</u>	4,170
<u>Intel Core i5-3475S @ 2.90GHz</u>	4,179
<u>AMD Opteron 3380</u>	4,180
<u>Intel Core i5-4430S @ 2.70GHz</u>	4,182
<u>Intel Core i5-7360U @ 2.30GHz</u>	4,187
<u>AMD Athlon 300U</u>	4,201
<u>Intel Core i5-3330 @ 3.00GHz</u>	4,204
<u>Intel Core i3-6100 @ 3.70GHz</u>	4,213
<u>Intel Core i5-2500 @ 3.30GHz</u>	4,217
<u>Intel Xeon E5640 @ 2.67GHz</u>	4,233
<u>AMD Ryzen Embedded R1505G</u>	4,243
<u>AMD Opteron 4284</u>	4,246
<u>Intel Core i5-3340 @ 3.10GHz</u>	4,259
<u>AMD Athlon 200GE</u>	4,263
<u>Intel Core i3-7100 @ 3.90GHz</u>	4,267
<u>Intel Xeon E5-2603 v4 @ 1.70GHz</u>	4,273
<u>AMD FX-6350 Six-Core</u>	4,301
<u>AMD Opteron 6272</u>	4,302
<u>Intel Core i7-3615QM @ 2.30GHz</u>	4,305
<u>Intel Pentium Gold G5620 @ 4.00GHz</u>	4,314
<u>AMD Opteron 6220</u>	4,326
<u>Intel Core i5-4670T @ 2.30GHz</u>	4,328
<u>AMD Opteron 6128</u>	4,347
<u>Intel Core i7-2820QM @ 2.30GHz</u>	4,355
<u>Intel Core i3-10110U @ 2.10GHz</u>	4,365
<u>AMD Ryzen Embedded R1606G</u>	4,368
<u>Intel Pentium Gold G5600F @ 3.90GHz</u>	4,376
<u>Intel Core i7-7660U @ 2.50GHz</u>	4,393
<u>Intel Xeon E3-1275 @ 3.40GHz</u>	4,399
<u>Intel Core i5-3550S @ 3.00GHz</u>	4,404
<u>Intel Core i7-3612QM @ 2.10GHz</u>	4,414

CPU Name	CPU Mark (higher is better)
Intel Core i5-6400T @ 2.20GHz	4,420
AMD Opteron 4386	4,427
Intel Xeon E3-1235 @ 3.20GHz	4,428
Intel Xeon L5638 @ 2.00GHz	4,448
Intel Core i7-2600S @ 2.80GHz	4,486
Intel Core i5-6300HQ @ 2.30GHz	4,487
Intel Core i7-2960XM @ 2.70GHz	4,487
Intel Xeon E5-2609 v3 @ 1.90GHz	4,489
AMD Ryzen 3 PRO 2100GE	4,492
Intel Core i5-3450 @ 3.10GHz	4,501
Intel Xeon E5-1607 v2 @ 3.00GHz	4,502
Intel Xeon E5-2648L @ 1.80GHz	4,504
AMD FX-8140 Eight-Core	4,508
Intel Core i7-3632QM @ 2.20GHz	4,513
AMD Opteron 2431	4,516
AMD FX-6330 Six-Core	4,529
Intel Core i5-4460S @ 2.90GHz	4,533
Intel Xeon E3-1245 @ 3.30GHz	4,547
AMD Ryzen Embedded V1404I	4,551
Intel Core i5-4440S @ 2.80GHz	4,554
Intel Xeon E3-1240 @ 3.30GHz	4,555
Intel Core i5-6442EQ @ 1.90GHz	4,556
Intel Core i3-8109U @ 3.00GHz	4,560
Intel Core i5-4430 @ 3.00GHz	4,562
Intel Core i5-4440 @ 3.10GHz	4,565
AMD FX-8120 Eight-Core	4,573
AMD Athlon 220GE	4,576
Intel Core i3-6300 @ 3.80GHz	4,579
Intel Core i5-4690T @ 2.50GHz	4,592
Intel Xeon E3-1230L v3 @ 1.80GHz	4,618
Intel Core i7-3612QE @ 2.10GHz	4,628
Intel Core i7-4765T @ 2.00GHz	4,629
Intel Xeon E5-2430L v2 @ 2.40GHz	4,651
Intel Core i3-6320 @ 3.90GHz	4,654
Intel Xeon L5639 @ 2.13GHz	4,656
Intel Core i7-3610QE @ 2.30GHz	4,674

CPU Name	CPU Mark (higher is better)
<u>AMD FX-8150 Eight-Core</u>	4,000
<u>Intel Core i3-8121U @ 2.20GHz</u>	4,681
<u>Intel Core i5-3470 @ 3.20GHz</u>	4,698
<u>Intel Xeon E3-1220 V2 @ 3.10GHz</u>	4,706
<u>AMD Opteron 2435</u>	4,709
<u>Intel Xeon E3-1225 V2 @ 3.20GHz</u>	4,716
<u>Intel Core i5-3550 @ 3.30GHz</u>	4,722
<u>Intel Core i7-2860QM @ 2.50GHz</u>	4,749
<u>Intel Xeon X5647 @ 2.93GHz</u>	4,765
<u>AMD Athlon 240GE</u>	4,773
<u>Intel Core i7-3635QM @ 2.40GHz</u>	4,782
<u>Intel Core i5-7442EQ @ 2.10GHz</u>	4,800
<u>Intel Core i5-4570R @ 2.70GHz</u>	4,810
<u>Intel Xeon E5-1603 v3 @ 2.80GHz</u>	4,823
<u>Intel Atom C3858 @ 2.00GHz</u>	4,853
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	4,863
<u>Intel Core i3-7300 @ 4.00GHz</u>	4,873
<u>Intel Xeon E3-1505L v5 @ 2.00GHz</u>	4,878
<u>Intel Xeon E3-1230 @ 3.20GHz</u>	4,880
<u>Intel Xeon E3-1280 @ 3.50GHz</u>	4,880
<u>Intel Core i5-4460 @ 3.20GHz</u>	4,899
<u>Intel Core i5-3570 @ 3.40GHz</u>	4,904
<u>AMD Opteron 6366 HE</u>	4,912
<u>Intel Core i5-3570K @ 3.40GHz</u>	4,927
<u>Intel Core i5-7400T @ 2.40GHz</u>	4,949
<u>Intel Core i3-7320 @ 4.10GHz</u>	4,953
<u>AMD Athlon 300GE</u>	4,963
<u>AMD Athlon PRO 300GE</u>	4,983
<u>Intel Xeon E5-1603 v4 @ 2.80GHz</u>	4,985
<u>Intel Core i5-6500T @ 2.50GHz</u>	5,002
<u>Intel Xeon E5-2420 @ 1.90GHz</u>	5,009
<u>Intel Xeon E3-1290 @ 3.60GHz</u>	5,015
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	5,017
<u>Intel Xeon E3-1235L v5 @ 2.00GHz</u>	5,054
<u>Intel Core i3-7350K @ 4.20GHz</u>	5,074
<u>AMD FX-8310 Eight-Core</u>	5,083

CPU Name	CPU Mark (higher is better)
<u>Intel Core i7-3770T @ 2.50GHz</u>	5,104
AMD FX-8320E Eight-Core	5,109
<u>Intel Core i5-4670K CPT @ 3.40GHz</u>	5,112
<u>Intel Xeon D-1520 @ 2.20GHz</u>	5,114
<u>Intel Core i5-4570S @ 2.90GHz</u>	5,117
AMD Opteron 6238	5,120
<u>Intel Xeon E3-1240L v3 @ 2.00GHz</u>	5,140
AMD Opteron 6328	5,141
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,144
<u>Intel Core i5-7300HQ @ 2.50GHz</u>	5,147
<u>Intel Xeon E5-1410 @ 2.80GHz</u>	5,157
AMD FX-8320 Eight-Core	5,181
<u>Intel Xeon E5-2620 @ 2.00GHz</u>	5,183
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	5,194
<u>Intel Core i5-6500TE @ 2.30GHz</u>	5,197
AMD Opteron 6136	5,202
<u>Intel Xeon X5667 @ 3.07GHz</u>	5,226
<u>Intel Core i5-4590S @ 3.00GHz</u>	5,227
<u>Intel Core i7-2700K @ 3.50GHz</u>	5,236
AMD Opteron 6172	5,261
<u>Intel Core i7-6822EQ @ 2.00GHz</u>	5,283
<u>Intel Core i5-6440HQ @ 2.60GHz</u>	5,289
<u>Intel Core i5-4570 @ 3.20GHz</u>	5,294
<u>Intel Core i7-4712HQ @ 2.30GHz</u>	5,305
<u>Intel Core i5-4670S @ 3.10GHz</u>	5,307
<u>Intel Core i7-2600 @ 3.40GHz</u>	5,314
<u>Intel Xeon E3-1225 v3 @ 3.20GHz</u>	5,321
<u>Intel Core i7-4860EQ @ 1.80GHz</u>	5,329
<u>Intel Xeon E5-1607 v3 @ 3.10GHz</u>	5,335
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	5,340
<u>Intel Core i5-4670R @ 3.00GHz</u>	5,347
AMD Opteron 6164 HE	5,351
<u>Intel Core i5-4690S @ 3.20GHz</u>	5,378
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	5,380
<u>Intel Core i7-3630QM @ 2.40GHz</u>	5,389
<u>Intel Core i5-5575R @ 2.80GHz</u>	5,391

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E3045 @ 2.40GHz</u>	5,393
<u>AMD FX-8300 Eight-Core</u>	5,402
<u>Intel Core i5-6440EQ @ 2.70GHz</u>	5,411
<u>Intel Core i5-6400 @ 2.70GHz</u>	5,415
<u>Intel Xeon E3-1268L v3 @ 2.30GHz</u>	5,415
<u>Intel Xeon X5672 @ 3.20GHz</u>	5,419
<u>AMD Ryzen 3 2300U</u>	5,421
<u>Intel Core i7-2600K @ 3.40GHz</u>	5,428
<u>Intel Core i7-4710HQ @ 2.50GHz</u>	5,430
<u>Intel Xeon E5-2609 v4 @ 1.70GHz</u>	5,437
<u>Intel Core i5-760S @ 2.53GHz</u>	5,440
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	5,448
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	5,450
<u>Intel Core i7-3610QM @ 2.30GHz</u>	5,452
<u>Intel Core i3-1005G1 @ 1.20GHz</u>	5,455
<u>Intel Core i3-8100T @ 3.10GHz</u>	5,457
<u>Intel Core i5-4590 @ 3.30GHz</u>	5,457
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	5,458
<u>Intel Core i5-10210Y @ 1.00GHz</u>	5,476
<u>AMD Ryzen 3 3300U</u>	5,480
<u>AMD Opteron 6176 SE</u>	5,483
<u>Intel Core i7-4785T @ 2.20GHz</u>	5,507
<u>Intel Core i7-3920XM @ 2.90GHz</u>	5,510
<u>Intel Core i5-4670 @ 3.40GHz</u>	5,524
<u>Intel Core i7-3940XM @ 3.00GHz</u>	5,569
<u>Intel Xeon E3-1226 v3 @ 3.30GHz</u>	5,569
<u>Intel Core i5-7500T @ 2.70GHz</u>	5,571
<u>Intel Core i5-4690K @ 3.50GHz</u>	5,594
<u>Intel Xeon E5-2430L @ 2.00GHz</u>	5,596
<u>Intel Xeon X5650 @ 2.67GHz</u>	5,604
<u>Intel Core i5-4690 @ 3.50GHz</u>	5,624
<u>AMD Opteron 6276</u>	5,627
<u>AMD Opteron 6376</u>	5,634
<u>Intel Xeon E3-1205 v6 @ 3.00GHz</u>	5,642
<u>Intel Xeon E5-1410 v2 @ 2.80GHz</u>	5,642
<u>Intel Xeon X5687 @ 3.60GHz</u>	5,647

CPU Name	CPU Mark (higher is better)
<u>Intel Core i5-7400 @ 3.00GHz</u>	5,000
<u>Intel Core i5-4670K @ 3.40GHz</u>	5,678
<u>Intel Core i7-3740QM @ 2.70GHz</u>	5,683
<u>AMD Opteron 6174</u>	5,688
<u>AMD FX-8370E Eight-Core</u>	5,695
<u>Intel Core i7-4722HQ @ 2.40GHz</u>	5,706
<u>AMD Ryzen 3 PRO 2300U</u>	5,708
<u>Intel Core i5-6500 @ 3.20GHz</u>	5,715
<u>Intel Core i7-5700HQ @ 2.70GHz</u>	5,735
<u>Intel Core i7-5700EQ @ 2.60GHz</u>	5,737
<u>Intel Xeon E5-1607 v4 @ 3.10GHz</u>	5,742
<u>AMD A8-7500</u>	5,755
<u>Intel Core i5-6600T @ 2.70GHz</u>	5,761
<u>ZHAOXIN KaiXian KX-U6780A@2.7GHz</u>	5,761
<u>Intel Core i5-5675R @ 3.10GHz</u>	5,762
<u>AMD Opteron 4274 HE</u>	5,776
<u>Intel Core i7-3720QM @ 2.60GHz</u>	5,777
<u>Intel Xeon E5-2630L @ 2.00GHz</u>	5,780
<u>Intel Core i5-6402P @ 2.80GHz</u>	5,784
<u>Intel Core i7-3820QM @ 2.70GHz</u>	5,788
<u>Intel Xeon E5-2643 @ 3.30GHz</u>	5,789
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	5,806
<u>AMD Opteron 6282 SE</u>	5,811
<u>Intel Xeon E5-2608L v3 @ 2.00GHz</u>	5,817
<u>Intel Xeon Bronze 3104 @ 1.70GHz</u>	5,840
<u>Intel Xeon E3-1290 V2 @ 3.70GHz</u>	5,840
<u>Intel Xeon E3-1280 V2 @ 3.60GHz</u>	5,856
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	5,860
<u>Intel Core i5-5675C @ 3.10GHz</u>	5,891
<u>Intel Core i7-3820 @ 3.60GHz</u>	5,892
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	5,907
<u>Intel Core i7-5675C @ 3.10GHz</u>	5,915
<u>Intel Xeon E3-1240L v5 @ 2.10GHz</u>	5,928
<u>Intel Xeon E5-2450L @ 1.80GHz</u>	5,941
<u>Intel Xeon E5-2430 @ 2.20GHz</u>	5,942
<u>Intel Xeon D-1518 @ 2.20GHz</u>	5,944

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E3-1220 v6 @ 3.00GHz</u>	5,954
<u>Intel Core i7-4770T @ 2.50GHz</u>	5,970
<u>Intel Core i7-4720HQ @ 2.60GHz</u>	5,975
<u>Intel Xeon E3-1275 V2 @ 3.50GHz</u>	5,982
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	5,985
<u>AMD Ryzen 3 PRO 2200GE</u>	5,994
<u>Intel Xeon X5675 @ 3.07GHz</u>	5,994
<u>Intel Core i7-4810MQ @ 2.80GHz</u>	5,999
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	6,026
<u>Intel Core i3-9100T @ 3.10GHz</u>	6,032
<u>AMD Ryzen 3 2200GE</u>	6,036
<u>AMD FX-8350 Eight-Core</u>	6,045
<u>Intel Xeon E3-1505L v6 @ 2.20GHz</u>	6,045
<u>AMD Ryzen 3 PRO 3300U</u>	6,047
<u>Intel Core i7-8550U @ 1.80GHz</u>	6,055
<u>Intel Xeon E3-1220 v5 @ 3.00GHz</u>	6,060
<u>Intel Xeon E3-1225 v5 @ 3.30GHz</u>	6,061
<u>Intel Xeon E5-2620 v2 @ 2.10GHz</u>	6,064
<u>Intel Core i5-7440HQ @ 2.80GHz</u>	6,072
<u>Intel Xeon E5-1428L v2 @ 2.20GHz</u>	6,092
<u>AMD Ryzen 5 PRO 2500U</u>	6,121
<u>Intel Core i3-8300T @ 3.20GHz</u>	6,128
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	6,128
<u>AMD Opteron 6344</u>	6,136
<u>Intel Xeon E5-2650L @ 1.80GHz</u>	6,145
<u>Intel Core i5-8265UC @ 1.60GHz</u>	6,147
<u>Intel Xeon X5660 @ 2.80GHz</u>	6,169
<u>Intel Core i5-7600T @ 2.80GHz</u>	6,183
<u>Intel Xeon E5-2420 v2 @ 2.20GHz</u>	6,193
<u>Intel Xeon E3-1275L v3 @ 2.70GHz</u>	6,204
<u>Intel Xeon E3-1230 V2 @ 3.30GHz</u>	6,206
<u>Intel Xeon E-2104G @ 3.20GHz</u>	6,220
<u>Intel Core i7-4860HQ @ 2.40GHz</u>	6,224
<u>Intel Core i5-6600 @ 3.30GHz</u>	6,229
<u>AMD FX-8370 Eight-Core</u>	6,231
<u>Intel Xeon E5-2440 @ 2.40GHz</u>	6,233

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E3-1205L v3 @ 2.50GHz</u>	6,244
<u>Intel Xeon X5670 @ 2.93GHz</u>	6,245
<u>Intel Core i7-3840QM @ 2.80GHz</u>	6,252
<u>Intel Xeon E3-1225 v6 @ 3.30GHz</u>	6,252
<u>Intel Core i7-4790T @ 2.70GHz</u>	6,280
<u>Intel Xeon E5-2448L v2 @ 1.80GHz</u>	6,285
<u>AMD Opteron 6287 SE</u>	6,303
<u>Intel Xeon E3-1265L v4 @ 2.30GHz</u>	6,308
<u>Intel Core i5-8365UE @ 1.60GHz</u>	6,326
<u>Intel Core i7-3770S @ 3.10GHz</u>	6,329
<u>Intel Core i7-4760HQ @ 2.10GHz</u>	6,330
<u>Intel Core i5-7500 @ 3.40GHz</u>	6,337
<u>AMD Ryzen 3 1200</u>	6,341
<u>Intel Core i7-4770HQ @ 2.20GHz</u>	6,346
<u>Intel Xeon E5-2640 @ 2.50GHz</u>	6,361
<u>Intel Core i5-8250U @ 1.60GHz</u>	6,371
<u>Intel Core i3-8100 @ 3.60GHz</u>	6,378
<u>AMD FX-9370 Eight-Core</u>	6,385
<u>Intel Xeon E5-2630L v2 @ 2.40GHz</u>	6,386
<u>Intel Xeon E3-1275 v3 @ 3.50GHz</u>	6,387
<u>Intel Xeon E5-2630 @ 2.30GHz</u>	6,388
<u>Intel Xeon E5-2440 v2 @ 1.90GHz</u>	6,426
<u>Intel Xeon E3-1240 V2 @ 3.40GHz</u>	6,446
<u>Intel Core i7-3770K @ 3.50GHz</u>	6,448
<u>Intel Core i7-3770 @ 3.40GHz</u>	6,449
<u>AMD Ryzen Embedded V1605B</u>	6,457
<u>Intel Core i7-8650U @ 1.90GHz</u>	6,457
<u>Intel Xeon E5-2658 @ 2.10GHz</u>	6,458
<u>Intel Xeon X5677 @ 3.47GHz</u>	6,474
<u>Intel Xeon E5-4607 v2 @ 2.60GHz</u>	6,481
<u>Intel Xeon E3-1270 V2 @ 3.50GHz</u>	6,497
<u>Intel Xeon E5-2637 v2 @ 3.50GHz</u>	6,497
<u>Intel Core i5-6600K @ 3.50GHz</u>	6,506
<u>Intel Core i7-4930MX @ 3.00GHz</u>	6,531
<u>Intel Xeon E3-1286L v3 @ 3.20GHz</u>	6,549
<u>Intel Xeon E5-4610 v3 @ 1.70GHz</u>	6,555

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E5-1620 v2 @ 3.10GHz</u>	6,557
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	6,560
<u>AMD Ryzen 3 PRO 2200G</u>	6,576
<u>Intel Atom C3958 @ 2.00GHz</u>	6,586
<u>Intel Core i7-4770R @ 3.20GHz</u>	6,587
<u>AMD Opteron 6380</u>	6,601
<u>Intel Xeon E5-2628L v2 @ 1.90GHz</u>	6,601
<u>Intel Core i7-6700HQ @ 2.60GHz</u>	6,621
<u>Intel Xeon W3670 @ 3.20GHz</u>	6,630
<u>Intel Core i3-8300 @ 3.70GHz</u>	6,632
<u>Intel Core i5-7600K @ 3.80GHz</u>	6,644
<u>Intel Core i7-6700TE @ 2.40GHz</u>	6,654
<u>Intel Xeon E3-1268L v5 @ 2.40GHz</u>	6,654
<u>Intel Core i7-4960HQ @ 2.60GHz</u>	6,669
<u>Intel Core i7-5850HQ @ 2.70GHz</u>	6,670
<u>Intel Core i5-7600 @ 3.50GHz</u>	6,672
<u>Intel Core i7-970 @ 3.20GHz</u>	6,672
<u>Intel Xeon E5-2623 v4 @ 2.60GHz</u>	6,680
<u>Intel Xeon E5-2623 v3 @ 3.00GHz</u>	6,694
<u>Intel Core i3-9300T @ 3.20GHz</u>	6,696
<u>Intel Xeon E5-4617 @ 2.90GHz</u>	6,697
<u>Intel Core i7-4940MX @ 3.10GHz</u>	6,701
<u>Intel Core i7-980 @ 3.33GHz</u>	6,704
<u>Intel Core i7-4770S @ 3.10GHz</u>	6,714
<u>Intel Xeon E3-1230 v3 @ 3.30GHz</u>	6,741
<u>Intel Core i7-4771 @ 3.50GHz</u>	6,747
<u>Intel Core i7-8565U @ 1.80GHz</u>	6,768
<u>Intel Core i7-4790S @ 3.20GHz</u>	6,780
<u>Intel Xeon E5-2430 v2 @ 2.50GHz</u>	6,790
<u>Intel Xeon E3-1280 v3 @ 3.60GHz</u>	6,797
<u>Intel Core i7-6820EQ @ 2.80GHz</u>	6,801
<u>Intel Core i7-4900MQ @ 2.80GHz</u>	6,802
<u>AMD Ryzen 7 2700U</u>	6,805
<u>AMD Ryzen 3 2200G</u>	6,823
<u>Intel Core i7-980X @ 3.33GHz</u>	6,831
<u>Intel Core i3-8100B @ 3.60GHz</u>	6,835

CPU Name	CPU Mark (higher is better)
<u>Intel Core i7-6820HQ @ 2.70GHz</u>	6,844
<u>AMD Ryzen 5 2500U</u>	6,850
<u>Intel Xeon E3-1285L v3 @ 3.10GHz</u>	6,862
<u>Intel Core i5-8350U @ 1.70GHz</u>	6,865
<u>Intel Xeon E5-4610 @ 2.40GHz</u>	6,869
<u>Intel Xeon E3-1281 v3 @ 3.70GHz</u>	6,873
<u>Intel Core i5-8365U @ 1.60GHz</u>	6,886
<u>Intel Core i7-8665UE @ 1.70GHz</u>	6,895
<u>Intel Core i5-8305G @ 2.80GHz</u>	6,899
<u>Intel Core i3-9100 @ 3.60GHz</u>	6,901
<u>Intel Xeon Bronze 3106 @ 1.70GHz</u>	6,922
<u>Intel Xeon Bronze 3204 @ 1.90GHz</u>	6,930
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	6,932
<u>Intel Xeon E5-2650L v2 @ 1.70GHz</u>	6,935
<u>AMD FX-9590 Eight-Core</u>	6,963
<u>Intel Core i3-8350K @ 4.00GHz</u>	6,968
<u>Intel Core i7-7700HQ @ 2.80GHz</u>	6,969
<u>Intel Core i7-4820K @ 3.70GHz</u>	6,973
<u>Intel Core i7-4980HQ @ 2.80GHz</u>	6,979
<u>Intel Xeon D-1521 @ 2.40GHz</u>	6,980
<u>Intel Xeon Platinum 8151 @ 3.40GHz</u>	6,985
<u>Intel Xeon E5-1620 v3 @ 3.50GHz</u>	6,994
<u>Intel Core i7-7820EQ @ 3.00GHz</u>	7,009
<u>Intel Xeon W-2102 @ 2.90GHz</u>	7,014
<u>Intel Xeon X5680 @ 3.33GHz</u>	7,015
<u>Intel Core i5-10210U @ 1.60GHz</u>	7,024
<u>Intel Xeon E5-2630L v3 @ 1.80GHz</u>	7,030
<u>Intel Xeon E3-1231 v3 @ 3.40GHz</u>	7,043
<u>Intel Core i7-8665U @ 1.90GHz</u>	7,054
<u>Intel Xeon E3-1276 v3 @ 3.60GHz</u>	7,068
<u>Intel Core i3-9100F @ 3.60GHz</u>	7,071
<u>Intel Xeon E3-1240 v3 @ 3.40GHz</u>	7,083
<u>AMD Opteron 6386 SE</u>	7,095
<u>Intel Core i7-4770 @ 3.40GHz</u>	7,113
<u>Intel Xeon E3-1246 v3 @ 3.50GHz</u>	7,133
<u>AMD Ryzen 3 PRO 1200</u>	7,134

CPU Name	CPU Mark (higher is better)
Intel Xeon E3-1535M v5 @ 2.90GHz	7,101
AMD Ryzen 5 3580U	7,187
Intel Core i7-4770K @ 3.50GHz	7,189
AMD Ryzen 7 3700U	7,204
Intel Core i7-990X @ 3.47GHz	7,219
AMD Ryzen 3 PRO 3200G	7,224
Intel Xeon E3-1505M v5 @ 2.80GHz	7,224
Intel Xeon X5690 @ 3.47GHz	7,232
Intel Xeon E3-1270 v3 @ 3.50GHz	7,235
AMD Ryzen 3 1300X	7,239
Intel Xeon E5-2637 v3 @ 3.50GHz	7,250
AMD Ryzen 5 3500U	7,261
Intel Xeon E5-4620 @ 2.20GHz	7,263
Intel Xeon W3690 @ 3.47GHz	7,266
Intel Xeon E3-1241 v3 @ 3.50GHz	7,294
AMD Ryzen 3 3200G	7,295
AMD Ryzen 5 PRO 2400GE	7,295
Intel Core i7-4790 @ 3.60GHz	7,313
Intel Core i5-7640X @ 4.00GHz	7,316
Intel Xeon E3-1285 v4 @ 3.50GHz	7,318
AMD Ryzen 5 2600H	7,350
AMD Ryzen 7 PRO 3700U	7,350
Intel Xeon E3-1285 v3 @ 3.60GHz	7,352
Intel Xeon E5-2640 v2 @ 2.00GHz	7,372
AMD Ryzen 3 PRO 3200GE	7,382
Intel Core i7-6700T @ 2.80GHz	7,384
Intel Core i7-10510U @ 1.80GHz	7,395
Intel Xeon E3-1230 v5 @ 3.40GHz	7,399
Intel Xeon E5-2650 @ 2.00GHz	7,426
Intel Xeon E5-1620 v4 @ 3.50GHz	7,436
Intel Xeon E3-1270L v4 @ 3.00GHz	7,443
Intel Xeon W-2104 @ 3.20GHz	7,458
Intel Core i7-995X @ 3.60GHz	7,459
AMD Ryzen 7 2800H	7,465
Intel Core i5-8300H @ 2.30GHz	7,475
AMD Ryzen 7 3780U	7,479

CPU Name	CPU Mark (higher is better)
<u>Intel Core i7-8709G @ 3.10GHz</u>	7,490
<u>Intel Core i7-5950HQ @ 2.90GHz</u>	7,507
<u>AMD Ryzen Embedded V1756B</u>	7,519
<u>Intel Xeon E5-2620 v3 @ 2.40GHz</u>	7,529
<u>Intel Xeon E-2124 @ 3.30GHz</u>	7,530
<u>Intel Xeon E3-1286 v3 @ 3.70GHz</u>	7,532
<u>Intel Core i7-7820HQ @ 2.90GHz</u>	7,544
<u>Intel Xeon E3-1271 v3 @ 3.60GHz</u>	7,548
<u>Intel Core i7-6820HK @ 2.70GHz</u>	7,555
<u>Intel Xeon E5-1630 v3 @ 3.70GHz</u>	7,559
<u>Intel Xeon E5-2630 v2 @ 2.60GHz</u>	7,563
<u>Intel Core i7-5775R @ 3.30GHz</u>	7,596
<u>Intel Xeon E5-2450 @ 2.10GHz</u>	7,605
<u>Intel Xeon E-2254ML @ 1.70GHz</u>	7,606
<u>Intel Xeon X5679 @ 3.20GHz</u>	7,616
<u>Intel Core i7-6920HQ @ 2.90GHz</u>	7,628
<u>Intel Core i3-9300 @ 3.70GHz</u>	7,642
<u>Intel Xeon E3-1230 v6 @ 3.50GHz</u>	7,648
<u>Intel Xeon E3-1505M v6 @ 3.00GHz</u>	7,648
<u>Intel Xeon E3-1285L v4 @ 3.40GHz</u>	7,654
<u>Intel Core i7-6770HQ @ 2.60GHz</u>	7,677
<u>Intel Core i7-7920HQ @ 3.10GHz</u>	7,687
<u>Intel Core i5-1035G1 @ 1.00GHz</u>	7,695
<u>Intel Xeon E5-2667 @ 2.90GHz</u>	7,733
<u>Intel Core i3-9320 @ 3.70GHz</u>	7,738
<u>Intel Xeon E5-2648L v3 @ 1.80GHz</u>	7,739
<u>Intel Core i5-9400T @ 1.80GHz</u>	7,757
<u>Intel Xeon E5-4640 @ 2.40GHz</u>	7,772
<u>AMD Ryzen Embedded V1807B</u>	7,779
<u>Intel Core i5-8400T @ 1.70GHz</u>	7,789
<u>Intel Core i7-5775C @ 3.30GHz</u>	7,790
<u>Intel Core i7-7700T @ 2.90GHz</u>	7,858
<u>Intel Xeon E3-1260L v5 @ 2.90GHz</u>	7,863
<u>Intel Core i7-7820HK @ 2.90GHz</u>	7,874
<u>Intel Core i7-8705G @ 3.10GHz</u>	7,876
<u>Intel Xeon E3-1545M v5 @ 2.90GHz</u>	7,906

CPU Name	CPU Mark (higher is better)
<u>AMD Ryzen 5 PRO 3500U</u>	7,922
<u>AMD Ryzen 5 2400GE</u>	7,936
<u>Intel Xeon E5-1630 v4 @ 3.70GHz</u>	7,943
<u>Intel Xeon E-2124G @ 3.40GHz</u>	7,954
<u>Intel Xeon E-2224G @ 3.50GHz</u>	7,972
<u>Intel Xeon E5-2651 v2 @ 1.80GHz</u>	7,977
<u>Intel Xeon E3-1515M v5 @ 2.80GHz</u>	7,982
<u>Intel Core i7-8557U @ 1.70GHz</u>	7,983
<u>Intel Xeon E5-2648L v2 @ 1.90GHz</u>	7,988
<u>AMD Ryzen 5 1400</u>	7,998
<u>Intel Xeon D-1528 @ 1.90GHz</u>	8,010
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	8,030
<u>Intel Xeon E3-1240 v6 @ 3.70GHz</u>	8,038
<u>Intel Core i7-3930K @ 3.20GHz</u>	8,046
<u>Intel Core i3-9350KF @ 4.00GHz</u>	8,057
<u>Intel Core i7-8706G @ 3.10GHz</u>	8,079
<u>Intel Core i5-8279U @ 2.40GHz</u>	8,082
<u>Intel Core i7-6700 @ 3.40GHz</u>	8,089
<u>Intel Xeon E3-1535M v6 @ 3.10GHz</u>	8,106
<u>Intel Xeon E3-1280 v5 @ 3.70GHz</u>	8,113
<u>Intel Xeon E-2224 @ 3.40GHz</u>	8,117
<u>AMD Ryzen 5 3550H</u>	8,120
<u>Intel Xeon E3-1245 v6 @ 3.70GHz</u>	8,131
<u>AMD Ryzen 5 PRO 2400G</u>	8,137
<u>Intel Core i5-9300H @ 2.40GHz</u>	8,139
<u>Intel Xeon E3-1585L v5 @ 3.00GHz</u>	8,141
<u>AMD Ryzen 3 PRO 1300</u>	8,152
<u>Intel Xeon E3-1575M v5 @ 3.00GHz</u>	8,187
<u>Intel Xeon E3-1245 v5 @ 3.50GHz</u>	8,190
<u>Intel Xeon D-2123IT @ 2.20GHz</u>	8,193
<u>Intel Xeon E3-1275 v5 @ 3.60GHz</u>	8,213
<u>Intel Xeon E5-4648 v3 @ 1.70GHz</u>	8,216
<u>Intel Xeon E5-2629 v3 @ 2.40GHz</u>	8,217
<u>Intel Core i5-8500T @ 2.10GHz</u>	8,228
<u>Intel Xeon E5-2660 @ 2.20GHz</u>	8,249
<u>Intel Core i7-4790K @ 4.00GHz</u>	8,263

CPU Name	CPU Mark (higher is better)
<u>Intel Core i5-8257U @ 1.40GHz</u>	8,280
<u>Intel Xeon E5-2637 v4 @ 3.50GHz</u>	8,290
<u>Intel Xeon E5-2665 @ 2.40GHz</u>	8,310
<u>AMD Ryzen 3 4300U</u>	8,364
<u>Intel Core i5-1035G7 @ 1.20GHz</u>	8,407
<u>Intel Xeon E5-2470 v2 @ 2.40GHz</u>	8,411
<u>Intel Xeon E3-1270 v5 @ 3.60GHz</u>	8,426
<u>Intel Xeon E5-1650 @ 3.20GHz</u>	8,443
<u>Intel Xeon D-1539 @ 1.60GHz</u>	8,444
<u>Intel Xeon D-1537 @ 1.70GHz</u>	8,445
<u>Intel Xeon E3-1275 v6 @ 3.80GHz</u>	8,470
<u>Intel Xeon E3-1585 v5 @ 3.50GHz</u>	8,476
<u>Intel Core i5-8259U @ 2.30GHz</u>	8,516
<u>AMD Ryzen 7 3750H</u>	8,517
<u>Intel Xeon Silver 4112 @ 2.60GHz</u>	8,564
<u>Intel Core i5-9500T @ 2.20GHz</u>	8,607
<u>Intel Xeon E5-1660 @ 3.30GHz</u>	8,616
<u>Intel Xeon E3-1270 v6 @ 3.80GHz</u>	8,636
<u>Intel Xeon E5-4650L @ 2.60GHz</u>	8,684
<u>Intel Xeon D-1559 @ 1.50GHz</u>	8,687
<u>Intel Xeon E5-2620 v4 @ 2.10GHz</u>	8,707
<u>Intel Xeon E-2134 @ 3.50GHz</u>	8,751
<u>AMD Ryzen 3 2300X</u>	8,784
<u>Intel Xeon E3-1280 v6 @ 3.90GHz</u>	8,787
<u>Intel Core i5-9400H @ 2.50GHz</u>	8,799
<u>Intel Core i7-3970X @ 3.50GHz</u>	8,817
<u>Intel Core i7-7700 @ 3.60GHz</u>	8,859
<u>Intel Xeon E5-4627 v2 @ 3.30GHz</u>	8,871
<u>Intel Core i5-3170K @ 3.20GHz</u>	8,882
<u>Intel Xeon E5-1650 v2 @ 3.50GHz</u>	8,897
<u>Intel Core i5-8400H @ 2.50GHz</u>	8,907
<u>Intel Core i7-8809G @ 3.10GHz</u>	8,919
<u>Intel Core i7-3960X @ 3.30GHz</u>	8,932
<u>Intel Core i5-1035G4 @ 1.10GHz</u>	8,956
<u>AMD Ryzen 5 PRO 3400GE</u>	8,984
<u>Intel Core i5-8600T @ 2.30GHz</u>	8,993

CPU Name	CPU Mark (higher is better)
<u>AMD Ryzen 5 2400G</u>	9,034
<u>Intel Xeon E5-4655 v3 @ 2.90GHz</u>	9,100
<u>Intel Xeon E5-2658 v2 @ 2.40GHz</u>	9,106
<u>Intel Core i7-9850HL @ 1.90GHz</u>	9,119
<u>Intel Core i7-6700K @ 4.00GHz</u>	9,130
<u>Intel Xeon W-2123 @ 3.60GHz</u>	9,143
<u>AMD Opteron 6348</u>	9,151
<u>Intel Core i5-8400 @ 2.80GHz</u>	9,151
<u>AMD Ryzen 5 PRO 3400G</u>	9,156
<u>Intel Core i7-4960X @ 3.60GHz</u>	9,185
<u>Intel Core i7-1065G7 @ 1.30GHz</u>	9,186
<u>Intel Xeon E3-1285 v6 @ 4.10GHz</u>	9,211
<u>Intel Xeon E5-2660 v2 @ 2.20GHz</u>	9,222
<u>Intel Xeon E5-2618L v3 @ 2.30GHz</u>	9,261
<u>Intel Core i7-8559U @ 2.70GHz</u>	9,333
<u>Intel Xeon E5-4640 v3 @ 1.90GHz</u>	9,405
<u>Intel Core i5-9500 @ 3.00GHz</u>	9,408
<u>Intel Core i5-9600T @ 2.30GHz</u>	9,413
<u>Intel Core i5-9400 @ 2.90GHz</u>	9,418
<u>Intel Core i7-7740X @ 4.30GHz</u>	9,422
<u>Intel Xeon E5-2643 v2 @ 3.50GHz</u>	9,426
<u>Intel Core i7-5820K @ 3.30GHz</u>	9,464
<u>AMD Ryzen 5 1500X</u>	9,498
<u>Intel Core i5-10300H @ 2.50GHz</u>	9,501
<u>AMD Ryzen 5 3400G</u>	9,559
<u>Intel Core i5-8500 @ 3.00GHz</u>	9,567
<u>Intel Core i7-4930K @ 3.40GHz</u>	9,595
<u>Intel Xeon E5-2680 @ 2.70GHz</u>	9,629
<u>Intel Xeon D-1531 @ 2.20GHz</u>	9,643
<u>Intel Xeon E-2144G @ 3.60GHz</u>	9,648
<u>Intel Core i5-9400F @ 2.90GHz</u>	9,667
<u>Intel Xeon E5-2630 v3 @ 2.40GHz</u>	9,791
<u>Intel Xeon E5-1660 v2 @ 3.70GHz</u>	9,833
<u>Intel Xeon E5-2630L v4 @ 1.80GHz</u>	9,888
<u>Intel Xeon E5-2650 v2 @ 2.60GHz</u>	9,902
<u>Intel Core i5-8600 @ 3.10GHz</u>	9,913

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon Silver 4108 @ 1.80GHz</u>	9,929
<u>Intel Xeon E5-2650L v3 @ 1.80GHz</u>	9,929
<u>Intel Core i7-7700K @ 4.20GHz</u>	9,943
<u>Intel Xeon E5-2670 @ 2.60GHz</u>	9,966
<u>Intel Xeon E5-2689 @ 2.60GHz</u>	10,010
<u>Intel Xeon E5-2690 @ 2.90GHz</u>	10,022
<u>Intel Xeon E5-2628L v4 @ 1.90GHz</u>	10,084
<u>Intel Xeon E5-2640 v3 @ 2.60GHz</u>	10,111
<u>Intel Xeon E-2274G @ 4.00GHz</u>	10,136
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	10,144
<u>Intel Core i7-8700T @ 2.40GHz</u>	10,176
<u>AMD EPYC 3201</u>	10,220
<u>Intel Core i5-8500B @ 3.00GHz</u>	10,258
<u>Intel Xeon E-2244G @ 3.80GHz</u>	10,278
<u>Intel Xeon E5-2643 v4 @ 3.40GHz</u>	10,317
<u>Intel Core i5-8600K @ 3.60GHz</u>	10,321
<u>Intel Core i7-8750H @ 2.20GHz</u>	10,330
<u>Intel Xeon E5-1650 v3 @ 3.50GHz</u>	10,330
<u>Intel Xeon @ 2.00GHz</u>	10,404
<u>Intel Xeon E5-2643 v3 @ 3.40GHz</u>	10,474
<u>Intel Xeon E5-4669 v4 @ 2.20GHz</u>	10,488
<u>Intel Core i7-8850H @ 2.60GHz</u>	10,503
<u>Intel Xeon E5-2648L v4 @ 1.80GHz</u>	10,510
<u>Intel Xeon E5-2670 v2 @ 2.50GHz</u>	10,510
<u>Intel Core i7-5930K @ 3.50GHz</u>	10,567
<u>Intel Core i5-9500F @ 3.00GHz</u>	10,592
<u>Intel Core i7-10710U @ 1.10GHz</u>	10,621
<u>Intel Xeon E5-2663 v3 @ 2.80GHz</u>	10,645
<u>Intel Xeon E-2226G @ 3.40GHz</u>	10,651
<u>Intel Xeon D-1548 @ 2.00GHz</u>	10,680
<u>Intel Xeon E5-4620 v3 @ 2.00GHz</u>	10,681
<u>AMD Ryzen 5 PRO 1500</u>	10,686
<u>Intel Xeon D-1540 @ 2.00GHz</u>	10,741
<u>Intel Xeon E5-4627 v3 @ 2.60GHz</u>	10,820
<u>Intel Core i7-6800K @ 3.40GHz</u>	10,836
<u>Intel Xeon E5-2675 v3 @ 1.80GHz</u>	10,845

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E5-2049 v3 @ 2.30GHz</u>	10,000
<u>Intel Xeon E5-4657L v2 @ 2.40GHz</u>	10,901
<u>Intel Xeon D-1541 @ 2.10GHz</u>	10,929
<u>Intel Xeon E5-1650 v4 @ 3.60GHz</u>	10,939
<u>Intel Xeon D-1557 @ 1.50GHz</u>	10,951
<u>Intel Xeon E5-2618L v4 @ 2.20GHz</u>	10,959
<u>Intel Xeon Silver 4109T @ 2.00GHz</u>	10,966
<u>Intel Xeon Gold 5122 @ 3.60GHz</u>	10,981
<u>AMD Ryzen 5 2500X</u>	10,986
<u>Intel Core i5-9600KF @ 3.70GHz</u>	10,989
<u>Intel Xeon E5-2630 v4 @ 2.20GHz</u>	11,097
<u>Intel Core i5-9600 @ 3.10GHz</u>	11,104
<u>Intel Xeon W-2125 @ 4.00GHz</u>	11,196
<u>Intel Core i5-9600K @ 3.70GHz</u>	11,206
<u>AMD Ryzen 5 PRO 1600</u>	11,208
<u>Intel Xeon E-2126G @ 3.30GHz</u>	11,215
<u>Intel Xeon E5-2692 v2 @ 2.20GHz</u>	11,243
<u>Intel Core i9-8950HK @ 2.90GHz</u>	11,284
<u>Intel Core i7-9700TE @ 1.80GHz</u>	11,509
<u>Intel Core i7-9700T @ 2.00GHz</u>	11,537
<u>Intel Xeon E5-2673 v2 @ 3.30GHz</u>	11,557
<u>Intel Core i7-6850K @ 3.60GHz</u>	11,569
<u>Intel Core i7-9750H @ 2.60GHz</u>	11,572
<u>Intel Xeon E5-1660 v3 @ 3.00GHz</u>	11,572
<u>Intel Xeon E5-1680 v2 @ 3.00GHz</u>	11,580
<u>Intel Xeon E-2176M @ 2.70GHz</u>	11,601
<u>Intel Xeon E-2186M @ 2.90GHz</u>	11,614
<u>Intel Xeon E5-2685 v3 @ 2.60GHz</u>	11,737
<u>Intel Xeon Silver 4110 @ 2.10GHz</u>	11,745
<u>Intel Xeon E5-2687W v2 @ 3.40GHz</u>	11,755
<u>Intel Xeon E5-2667 v3 @ 3.20GHz</u>	11,758
<u>Intel Xeon E5-2650 v3 @ 2.30GHz</u>	11,797
<u>Intel Xeon E5-2640 v4 @ 2.40GHz</u>	11,844
<u>Intel Xeon E5-2650 v4 @ 2.20GHz</u>	11,862
<u>Intel Xeon E5-2673 v3 @ 2.40GHz</u>	11,941
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	11,947

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon E5-4000 v3 @ 2.10GHz</u>	11,901
<u>Intel Core i7-8700B @ 3.20GHz</u>	12,002
<u>Intel Xeon E-2276G @ 3.80GHz</u>	12,019
<u>Intel Core i7-9850H @ 2.60GHz</u>	12,030
<u>AMD EPYC 7301</u>	12,085
<u>Intel Xeon E5-2667 v2 @ 3.30GHz</u>	12,121
<u>Intel Xeon D-2146NT @ 2.30GHz</u>	12,122
<u>Intel Xeon E5-4667 v3 @ 2.00GHz</u>	12,133
<u>Intel Xeon E5-2658 v3 @ 2.20GHz</u>	12,230
<u>Intel Core i7-5960X @ 3.00GHz</u>	12,238
<u>AMD EPYC 3251</u>	12,401
<u>AMD Ryzen 5 1600</u>	12,412
<u>Intel Xeon E5-2670 v3 @ 2.30GHz</u>	12,442
<u>Intel Xeon E5-2680 v2 @ 2.80GHz</u>	12,461
<u>Intel Xeon E5-1660 v4 @ 3.20GHz</u>	12,489
<u>AMD EPYC 7251</u>	12,529
<u>AMD Ryzen 5 3500</u>	12,542
<u>Intel Xeon E5-1680 v3 @ 3.20GHz</u>	12,601
<u>Intel Xeon E-2278GEL @ 2.00GHz</u>	12,621
<u>Intel Xeon E5-2695 v2 @ 2.40GHz</u>	12,629
<u>Intel Xeon E-2236 @ 3.40GHz</u>	12,636
<u>Intel Xeon E5-2683 v3 @ 2.00GHz</u>	12,662
<u>Intel Xeon E-2186G @ 3.80GHz</u>	12,773
<u>Intel Xeon E5-2690 v2 @ 3.00GHz</u>	12,841
<u>Intel Xeon E5-2658 v4 @ 2.30GHz</u>	12,896
<u>Intel Xeon D-2141L @ 2.20GHz</u>	12,904
<u>Intel Xeon E5-2660 v3 @ 2.60GHz</u>	12,911
<u>Intel Xeon E5-2660 v4 @ 2.00GHz</u>	13,054
<u>Intel Xeon E-2276M @ 2.80GHz</u>	13,058
<u>Intel Xeon E5-2676 v3 @ 2.40GHz</u>	13,064
<u>Intel Core i7-9750HF @ 2.60GHz</u>	13,071
<u>Intel Xeon E5-2687W v3 @ 3.10GHz</u>	13,095
<u>Intel Xeon E5-1680 v4 @ 3.40GHz</u>	13,181
<u>Intel Xeon E5-2686 v3 @ 2.00GHz</u>	13,190
<u>Intel Xeon E5-2696 v2 @ 2.50GHz</u>	13,198
<u>Intel Xeon E-2136 @ 3.30GHz</u>	13,205

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon W-2133 @ 3.00GHz</u>	13,283
<u>Intel Xeon E-2146G @ 3.50GHz</u>	13,318
<u>AMD Ryzen 5 2600</u>	13,417
<u>Intel Xeon E5-1681 v3 @ 2.90GHz</u>	13,438
<u>Intel Xeon E5-2667 v4 @ 3.20GHz</u>	13,469
<u>AMD Ryzen 5 3500X</u>	13,497
<u>Intel Xeon E-2286G @ 4.00GHz</u>	13,517
<u>Intel Core i7-8700 @ 3.20GHz</u>	13,537
<u>Intel Xeon E-2176G @ 3.70GHz</u>	13,539
<u>Intel Core i7-6900K @ 3.20GHz</u>	13,548
<u>Intel Core i7-7800X @ 3.50GHz</u>	13,635
<u>Intel Xeon E-2246G @ 3.60GHz</u>	13,773
<u>Intel Xeon D-2143IT @ 2.20GHz</u>	13,890
<u>Intel Xeon E5-2695 v3 @ 2.30GHz</u>	13,924
<u>Intel Core i7-8700K @ 3.70GHz</u>	14,029
<u>Intel Xeon E5-2678 v3 @ 2.50GHz</u>	14,049
<u>Intel Xeon D-1587 @ 1.70GHz</u>	14,190
<u>Intel Xeon D-1567 @ 2.10GHz</u>	14,210
<u>Intel Core i9-9900T @ 2.10GHz</u>	14,214
<u>AMD Ryzen 5 PRO 2600</u>	14,239
<u>Intel Core i7-8086K @ 4.00GHz</u>	14,318
<u>Intel Core i7-9700F @ 3.00GHz</u>	14,371
<u>AMD Ryzen 5 2600X</u>	14,384
<u>Intel Core i9-9880H @ 2.30GHz</u>	14,388
<u>Intel Xeon Silver 4114 @ 2.20GHz</u>	14,448
<u>Intel Core i7-9700 @ 3.00GHz</u>	14,455
<u>AMD Ryzen 7 1700</u>	14,477
<u>Intel Xeon E5-2680 v3 @ 2.50GHz</u>	14,486
<u>Intel Xeon E5-2683 v4 @ 2.10GHz</u>	14,519
<u>Intel Xeon E5-4669 v3 @ 2.10GHz</u>	14,522
<u>Intel Xeon Silver 4208 @ 2.10GHz</u>	14,547
<u>Intel Xeon Silver 4210 @ 2.20GHz</u>	14,601
<u>AMD Ryzen 7 PRO 1700</u>	14,609
<u>Intel Xeon E5-2698 v3 @ 2.30GHz</u>	14,840
<u>Intel Core i7-9700K @ 3.60GHz</u>	14,876
<u>Intel Xeon E5-2680 v4 @ 2.40GHz</u>	14,939

CPU Name	CPU Mark (higher is better)
<u>AMD Ryzen 7 2700E</u>	15,162
<u>Intel Xeon E5-2689 v4 @ 3.10GHz</u>	15,205
<u>Intel Xeon E5-2687W v4 @ 3.00GHz</u>	15,210
<u>Intel Xeon E5-2686 v4 @ 2.30GHz</u>	15,241
<u>Intel Xeon Silver 4123 @ 3.00GHz</u>	15,266
<u>Intel Core i7-9700KF @ 3.60GHz</u>	15,302
<u>Intel Xeon E5-2690 v3 @ 2.60GHz</u>	15,468
<u>Intel Xeon E5-2695 v4 @ 2.10GHz</u>	15,470
<u>AMD Ryzen 7 1700X</u>	15,574
<u>Intel Xeon W-2135 @ 3.70GHz</u>	15,592
<u>Intel Xeon E5-2697 v3 @ 2.60GHz</u>	15,623
<u>Intel Xeon Silver 4116 @ 2.10GHz</u>	15,668
<u>Intel Xeon E5-2682 v4 @ 2.50GHz</u>	15,717
<u>Intel Xeon E5-2696 v3 @ 2.30GHz</u>	15,733
<u>AMD EPYC 7351P</u>	15,792
<u>AMD Ryzen 7 2700</u>	15,864
<u>Intel Xeon E5-2698 v4 @ 2.20GHz</u>	15,903
<u>Intel Xeon E5-2697 v4 @ 2.30GHz</u>	15,911
<u>Intel Xeon E5-2699 v3 @ 2.30GHz</u>	15,952
<u>Intel Xeon E5-2673 v4 @ 2.30GHz</u>	15,958
<u>Intel Xeon D-2166NT @ 2.00GHz</u>	16,007
<u>Intel Xeon E5-2696 v4 @ 2.20GHz</u>	16,024
<u>Intel Xeon E-2278G @ 3.40GHz</u>	16,028
<u>AMD Ryzen 7 PRO 2700</u>	16,080
<u>Intel Xeon E5-2690 v4 @ 2.60GHz</u>	16,091
<u>Intel Xeon E5-2669 v3 @ 2.30GHz</u>	16,107
<u>Intel Xeon E-2286M @ 2.40GHz</u>	16,117
<u>Intel Core i7-10750H @ 2.60GHz</u>	16,137
<u>AMD Ryzen 7 1800X</u>	16,422
<u>Intel Xeon E5-2699A v4 @ 2.40GHz</u>	16,516
<u>Intel Xeon Gold 5118 @ 2.30GHz</u>	16,522
<u>AMD Ryzen 7 PRO 1700X</u>	16,533
<u>Intel Core i9-9980HK @ 2.40GHz</u>	16,535
<u>Intel Xeon W-2225 @ 4.10GHz</u>	16,653
<u>AMD EPYC 7451</u>	16,718
<u>Intel Xeon Gold 5117 @ 2.00GHz</u>	16,761

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon Gold 6134 @ 3.20GHz</u>	17,031
<u>Intel Core i9-9900 @ 3.10GHz</u>	17,040
<u>Intel Xeon E5-2697A v4 @ 2.60GHz</u>	17,289
<u>Intel Core i7-6950X @ 3.00GHz</u>	17,459
<u>AMD Ryzen 7 2700X</u>	17,788
<u>Intel Xeon E-2288G @ 3.70GHz</u>	17,800
<u>AMD Ryzen Threadripper 1900X</u>	17,804
<u>Intel Xeon Gold 6226 @ 2.70GHz</u>	17,850
<u>AMD Ryzen 5 3600</u>	17,865
<u>Intel Xeon Gold 5120 @ 2.20GHz</u>	18,005
<u>Intel Core i7-7820X @ 3.60GHz</u>	18,019
<u>Intel Xeon Gold 5120T @ 2.20GHz</u>	18,242
<u>AMD Ryzen 7 PRO 2700X</u>	18,278
<u>AMD Ryzen 5 PRO 3600</u>	18,291
<u>AMD Ryzen 5 3600X</u>	18,368
<u>Intel Xeon E5-2699 v4 @ 2.20GHz</u>	18,482
<u>Intel Core i7-9800X @ 3.80GHz</u>	18,665
<u>Intel Xeon W-2140B @ 3.20GHz</u>	18,719
<u>Intel Core i9-9900KF @ 3.60GHz</u>	18,942
<u>Intel Core i9-9900K @ 3.60GHz</u>	19,032
<u>Intel Xeon W-2145 @ 3.70GHz</u>	19,089
<u>Intel Xeon E5-2679 v4 @ 2.50GHz</u>	19,111
<u>AMD EPYC 7351</u>	19,180
<u>Intel Xeon Silver 4214 @ 2.20GHz</u>	19,444
<u>Intel Xeon D-2183IT @ 2.20GHz</u>	19,483
<u>AMD EPYC 7551P</u>	19,564
<u>AMD EPYC 7551</u>	19,606
<u>Intel Xeon Gold 6130 @ 2.10GHz</u>	19,748
<u>Intel Xeon Gold 6144 @ 3.50GHz</u>	19,771
<u>Intel Xeon D-2187NT @ 2.00GHz</u>	19,846
<u>Intel Core i9-9900KS @ 4.00GHz</u>	20,081
<u>AMD EPYC 7501</u>	20,094
<u>Intel Xeon Gold 6126 @ 2.60GHz</u>	20,371
<u>Intel Core i7-7900X @ 3.30GHz</u>	20,514
<u>Intel Xeon Gold 6137 @ 3.90GHz</u>	20,521
<u>Intel Xeon Gold 6136 @ 3.00GHz</u>	21,145

CPU Name	CPU Mark (higher is better)
<u>Intel Core i9-9820X @ 3.50GHz</u>	21,290
<u>AMD EPYC 7401P</u>	21,450
<u>Intel Xeon W-2150B @ 3.00GHz</u>	21,547
<u>Intel Xeon Silver 4216 @ 2.10GHz</u>	21,669
<u>AMD Ryzen Threadripper 2990X</u>	21,767
<u>Intel Core i9-9900X @ 3.50GHz</u>	21,863
<u>Intel Core i9-7900X @ 3.30GHz</u>	21,926
<u>AMD EPYC 7571</u>	22,125
<u>AMD Ryzen 7 3700X</u>	22,757
<u>AMD Ryzen 7 PRO 3700</u>	22,824
<u>AMD EPYC 7371</u>	22,859
<u>Intel Xeon Gold 5218 @ 2.30GHz</u>	22,871
<u>AMD Ryzen 7 3800X</u>	23,229
<u>Intel Xeon Gold 6152 @ 2.10GHz</u>	23,622
<u>Intel Core i9-10900X @ 3.70GHz</u>	23,863
<u>Intel Xeon Gold 6132 @ 2.60GHz</u>	24,034
<u>Intel Core i9-7920X @ 2.90GHz</u>	24,061
<u>AMD Ryzen Threadripper 1920X</u>	24,076
<u>Intel Xeon Gold 6140 @ 2.30GHz</u>	24,091
<u>Intel Xeon Platinum 8160 @ 2.10GHz</u>	24,370
<u>Intel Xeon Gold 6146 @ 3.20GHz</u>	24,389
<u>Intel Xeon Platinum 8176 @ 2.10GHz</u>	24,564
<u>Intel Xeon W-2170B @ 2.50GHz</u>	24,691
<u>Intel Xeon W-2175 @ 2.50GHz</u>	24,719
<u>Intel Xeon W-2195 @ 2.30GHz</u>	24,890
<u>Intel Core i9-9920X @ 3.50GHz</u>	25,365
<u>Intel Xeon Gold 6138 @ 2.00GHz</u>	25,555
<u>Intel Xeon Gold 6148 @ 2.40GHz</u>	25,575
<u>Intel Core i9-7960X @ 2.80GHz</u>	26,131
<u>AMD EPYC 7262</u>	26,237
<u>Intel Xeon Gold 6143 @ 2.80GHz</u>	26,266
<u>AMD Ryzen Threadripper 2920X</u>	26,337
<u>Intel Core i9-7940X @ 3.10GHz</u>	26,922
<u>Intel Xeon Platinum 8124M @ 3.00GHz</u>	26,977
<u>AMD Ryzen Threadripper 1950X</u>	27,205
<u>Intel Xeon Gold 6230 @ 2.10GHz</u>	27,237

CPU Name	CPU Mark (higher is better)
<u>Intel Xeon Gold 6242 @ 2.50GHz</u>	28,073
<u>Intel Xeon Platinum 8175M @ 2.50GHz</u>	28,252
<u>AMD Ryzen Threadripper 2970WX</u>	28,411
<u>Intel Xeon Gold 6246 @ 3.30GHz</u>	28,540
<u>Intel Xeon W-3235 @ 3.30GHz</u>	28,567
<u>Intel Core i9-9960X @ 3.10GHz</u>	28,572
<u>AMD Ryzen Threadripper 2990WX</u>	28,851
<u>Intel Xeon Platinum 8173M @ 2.00GHz</u>	29,012
<u>Intel Core i9-9940X @ 3.30GHz</u>	29,177
<u>Intel Xeon Platinum 8168 @ 2.70GHz</u>	29,285
<u>Intel Core i9-7980XE @ 2.60GHz</u>	29,494
<u>Intel Core i9-10920X @ 3.50GHz</u>	29,788
<u>Intel Xeon Platinum 8259CL @ 2.50GHz</u>	30,938
<u>AMD Ryzen 9 3900</u>	31,019
<u>AMD Ryzen Threadripper 2950X</u>	31,382
<u>Intel Core i9-10940X @ 3.30GHz</u>	31,662
<u>Intel Xeon Gold 6210U @ 2.50GHz</u>	31,674
<u>AMD Ryzen 9 PRO 3900</u>	32,052
<u>Intel Xeon Gold 6212U @ 2.40GHz</u>	32,069
<u>AMD Ryzen 9 3900X</u>	32,899
<u>Intel Xeon Gold 6254 @ 3.10GHz</u>	33,291
<u>Intel Xeon W-3175X @ 3.10GHz</u>	33,715
<u>Intel Core i9-10980XE @ 3.00GHz</u>	34,246
<u>Intel Core i9-9980XE @ 3.00GHz</u>	34,788
<u>AMD EPYC 7502P</u>	34,791
<u>Intel Xeon Platinum 8268 @ 2.90GHz</u>	35,143
<u>Intel Xeon W-3265 @ 2.70GHz</u>	35,145
<u>AMD EPYC 7402P</u>	35,874
<u>Intel Xeon W-3275M @ 2.50GHz</u>	38,414
<u>AMD Ryzen 9 3950X</u>	39,220
<u>AMD EPYC 7302P</u>	39,302
<u>AMD EPYC 7452</u>	48,511
<u>AMD Ryzen Threadripper 3960X</u>	55,232
<u>AMD EPYC 7702P</u>	58,414
<u>AMD Ryzen Threadripper 3970X</u>	59,872
<u>AMD EPYC 7742</u>	60,945


Ad



DI III I & REAR



Zalando Zalando SE

Software	Hardware	Benchmarks	About Us	Services	International
BurnInTest	USB3.0 Loopback Plugs	CPU Benchmarks	Company	Store	Disclaimer
PerformanceTest	USB2.0 Loopback Plugs	Video Card Benchmarks	Contact Us	Support	Refunds
OSForensics	PCIe Test Cards	Hard Drive Benchmarks	The Press Room	Forums	Privacy
MemTest86	USB Power Delivery Tester	RAM Benchmarks			Social
WirelessMon	Serial and Parallel Loopback Plugs	PC Systems Benchmarks			
Zoom Search Engine	USB Short Circuit Testers	Android Benchmarks			
Free Software		iOS / iPhone Benchmarks			